# Making Mighty Cleaning Machines in Britain For Over 75 Years





2023/24

# PRODUCT CATALOGUE

www.VictorFloorcare.com

#### **ROTARY FLOOR MACHINES**







Sprite 300 Multispeed





**BURNISHERS** 

#### **CORDLESS ROTARY FLOOR MACHINES**





**Contractor Cordless Multispeed Cordless Lynx Cordless** 





Ocelot 400

OSCILLATION



Ocelot Plus 400





Hyperglide 350

#### **SCRUBBER DRYERS**



SD20





SD50

# **RIDE-ON**



SDR80

#### **VACUUM CLEANERS**





V9 HEPA Vacuum V9B BATTERY TUB VAC UCS Upright Vacuum Back Pack Vacuum Nimrod Stick











SL8000





#### **CLEANING INNOVATION**

**WET & DRY VACUUM CLEANERS** 



WD60





CX7 Spray Extractor Steam Extractor





Hot Water Extractor RiserShine Range SlipStop Range



#### **JANITORIAL TROLLEYS**



JanCart 0.4

JanCart 0.62



JanCart 4.1



JanCart 0.5









#### **ROTARY FLOOR MACHINES**

Contractor	20
Sprite	21
Sprite 300	22
Multispeed	23
Trojan	24
Pads & Brushes	18

#### **BURNISHERS**

Lynx	25
Lvnx Cordless	29

#### **CORDLESS ROTARY FLOOR MACHINES**

Contractor Cordless
Multispeed Cordless
Cordless Lynx

#### **OSCILLATING MACHINES**

Ocelot 400	34
Ocelot Plus 400	35

#### **SCRUBBER DRYERS**

Hyperglide 350	40
Hyperglide 350 Cordless	41
SD12	42
SD20	43
SD40	44
SD50	45
SDR80	46
SD Pads & Brushes	48



#### **VACUUM CLEANERS**

V-9 HEPA Tub Vacuum	52
V-9B HEPA Cordless Tub Vacuum	54
UCS Upright Vacuum	55
Nimrod Stick Vacuum	56
Back Pack Vacuum	57

#### WET AND DRY VACUUM CLEANERS

WD30	58
WD60	59
Hot Water Extractor	60
Steam Extractor	61
CX7 Spray Extractor	62
SL8000 Steam Clean Vacuum	63

#### **CARPET CLEANING MACHINES**

#### **CLEANING INNOVATION**

ŀ	RiserShine	6
9	SlipStop	6'
J	Janitorial Trolleys	70

#### **EXTRAS**

Chemicals	12
Floorcare Guide	78
Terms & Conditions	83



# A BRIEF HISTORY

Mighty cleaning machines since 1946




ictor was originally created by Dowding & Plummer Ltd – a domestic electrical appliances and vehicle electrics repairs company established in 1946. At the end of World War II, Dowding & Plummer began to manufacture electrical components for domestic appliances, including floor polishers. By the 1950s, the company was producing its own vacuum cleaners.

During the 1960s, the UK's commercial contract cleaning market began to grow, and Dowding & Plummer made the move from domestic appliances to commercial and industrial products. It started producing rotary floor machines, and a durable, reliable floor cleaner – branded Victor – soon became popular, not only in the UK, but across the world.

The Victor name was chosen by Les Davies, former Sales Director and joint Managing Director, from his time flying Lancaster Bombers during World War II. Squadron planes were all marked with the code letters VN, followed by the individual aircraft recognition letter, meaning the phonetic call sign to the control tower on take-off and landing was Victor Nan, plus the letter of the aircraft. Les survived a full tour unscathed, and considered the plane he was usually allocated – VN-F: Victor Nan-Fox – lucky.

The Victor machines produced today are still made in Britain and retain the same reliability and durability as the floor cleaners produced in the 1960s – and continuous improvement ensures the brand still leads in terms of technological development, innovation and customer satisfaction.







# Made In Britain

We are proud that our mighty commercial cleaning products are manufactured in the UK. Where possible, we use locally sourced parts and suppliers which keeps our lead times low, whilst supporting the local economy.



# **Short Lead Times Available**

We hold large quantities of stock, offering our customer short lead times. Need your commercial cleaning equipment delivering direct to site? No problem, call our team today, we will be delighted to assist you.



# First Class Customer Care

Our team of friendly, knowledgeable staff are on hand to help you with your commercial cleaning needs. Not sure what you need? No problem, our team have decades of experience solving commercial cleaning problems.



# High Quality Products

We believe in long lasting, reliable products. This is why we only produce and source the highest quality components, assembled by our highly trained production team in an environment that has quality assured measures in place every step of the way.



# Simple Engineering

Over complicated machinery is difficult to maintain & service. Our simple but highly effective engineering makes our commercial cleaning machines easy to keep in perfect working order, with minimal downtime.

# WHAT WE DO

# **OUR VISION**



To be recognised for market leading floorcare **innovation**, producing **robust** cleaning machines that are the **easiest** to use and the most **reliable** by matching **progressive** designs with **quality** and exceptional **performance**.

# WHAT WE STRIVE FOR

# **OUR VALUES**



# **Honesty & Integrity**

We respect and value stakeholders, treating them the way we'd like to be treated ourselves



# **Innovation**

We design and innovate to make enduring products that always reflect our heritage



# Commitment

We don't give up or stop until we meet the highest standards



# **Delighting Customers**

Always at the heart of everything we do.

# **INDUSTRIES WE PROUDLY SERVE**





**Commercial Cleaners** 

Professional cleaners need equipment that is cost effective, reliable and offer sustained performance. Victor offer a range of products and machines geared to meet these needs.



**Education** 

Meeting the cleaning demands of a busy school can be difficult. Victor have been popular with the education sector for many decades, with products such as the Contractor or V9 Vacuum firm favourites.



Healthcare

Hospitals and care homes demand the highest level of sanitisation. Victor offer a wide range of high quality products suitable that guarantee the best cleaning performance.



Manufacturing

Clean, maintained factories can offer better levels of efficiency and operations. Victor offer a range of products that help support the needs of the manufacturing industry.



Automotive

Car showrooms require an immaculate finish to help the cars look their best. Victor offer a range of Rotary machines & Scrubber dryers which make floorcare easy to maintain.



#### **Local Authorities**

Victor has been a firm favourite with local authorities for decades. Cost effective, high quality machines maximise budget, whilst keeping maintenance of machines to a minimum.



#### **Retail & Supermarkets**

Having a clean store is a priority for all retail stores. The Victor range caters for all square footage, ensuring you have the right machine on standby in your store.



**Hotels & Hospitality** 

Making guests feel at home is number I for any successful hotel or hospitality venue. Victor offer a wide range of products to help ensure the highest levels of cleanliness.



**Food Services** 

Customer care and quality are core values at the heart of the food industry. These values align perfectly with Victor's. Victor have a range of cleaning solutions, ideal for both front & back of house.



#### Transport

Continuous cleaning maintenance is important to ensure the safety of travellers. Victor offer a range of products to support the transport industry, including the Nimrod- a cordless commercial stick vacuum



#### Construction

Built to last, our cleaning products are produced to the highest standard ensuring they are robust enough to meet the demands of the toughest jobs on site.



#### racilities Managemen

We work closely with the FM industry to develop new products that meet the ever changing needs of FM industry. Our bespoke JanCart trolley's modular design makes it ideal for an infinite number of cleaning challenges.

# **FLOORCARE MACHINES**



CONTRACTOR

Page 20

The Contractor rotary machines offers unrivalled value and performance across a range of hard floor cleaning tasks including buffing, spray cleaning, scrubbing and bonnet mopping.

Available in both mains & cordless



SPRITE

Page 21

The Sprite Range is similar to our ever popular Contractor range, however features an active exhauster unit for a perfect dust free finish.

Available as a mains machine



ROTARY MACHINES

**SPRITE 300** 

Page 22

The Sprite 300 is one of the most slimline machines on the market today, allowing it to be used in the tightest of areas. Featuring just a 300mm driveboard, making it ideal for washrooms and other confined areas

Available as a mains machine



**MULTISPEED** 

Page 23

The Multispeed is ideal for operatives who work on a range of floor types or perform a range of tasks. The Mutispeed offers both high and lower speed capabilities, making it ideal for polishing, scrubbing and everything in between

Available in both mains & cordless



TROJAN

Page 24

The Trojan is a slightly slower RPM machine which is ideal for scrubbing tasks on both hard floors and carpets. The Trojan can have weights added (up to 30kg) which offers incredible downforce

Available as a mains machine





LYNX

Page 25

The Lynx is a super fast burnishing machine which operates at 1080 RPM. This offers excellent productivity in spray cleaning or burnishing when a superior floor finish is required.

Available in both mains & cordless



HYPERGLIDE

Page 41

The Hyperglide is a versatile and lightweight, upright scrubber dryer. Suitable for both hard floors and carpets, it's contra-rotating brushes leave floors touch

Available in both mains & cordless

# **OSCILLATING MACHINES**



**OCELOT** 

The Ocelot is a super lightweight oscillating machine which is suitable for both deep cleaning and maintenance cleaning of most hard floor types.

Available as a cordless machine



**OCELOT PLUS** 

Page 35

The Ocelot Plus features the same deep penetrating motion as the Ocelot, but with the added feature of wet pick up and a recovery tank.

Available as a cordless machine



**SD12** 

Page 42

The SD12 is a super compact scrubber dryer with a 12 litre solution tank. The SD12 features a fold over handle, making it incredibly portable and easy to store. The SD12 is the ideal compact scrubber dryer for cleaning up to 1600 m<sup>2</sup> on a single charge.



**SD20** 

Page 43

The SD20 is a super compact scrubber dryer featuring a 20 litre solution tank. The SD20 is the ideal compact scrubber dryer for cleaning up to 2,400 m<sup>2</sup> on a single charge.



**SD40** Page 44

The SD40 is a super compact scrubber dryer featuring a 40 litre solution tank. The SD40 is the ideal compact scrubber dryer for cleaning surfaces up to 6,000m<sup>2</sup> on a single charge.



*SD50* Page 45

The SD50 is a super compact scrubber dryer featuring a 50 litre solution tank. The SD50 is the ideal compact scrubber dryer for cleaning surfaces up to 8,400m<sup>2</sup> on a single charge.



SCRUBBER DRYERS



SDR80

Page 46

The SDR-80 is a compact ride-on scrubber dryer which features the performance and manoeuvrability of a walk behind scrubber dryer, but with the added productivity of a ride-on scrubber dryer.

10



# **Concentrated Chemical Range**



# SIMPLE DOSING SYSTEM

Controlled dosing system without the need for equipment installation.

# SUPER CONCENTRATED

Each 1ltr bottle can provide up to 100 litres of cleaning solution.

#### **ECONOMICAL**

Prevent overdose, by dispensing the precise measured dose using a safer and simpler 'invert and pour' method.

#### **SAFE**

Bottle is designed so that product cannot be spilled onto the user's hands as the chemical is dosed.

#### **LOW FOAMING**

Specifically formulated for use in commercial cleaning machines.

# ENVIRONMENTALLY FRIENDLY

Biodegradable, petroleum free, non-caustic formulations



001)

# **POOLSIDE & WASHROOM**

Code: V-PW001

Descaling power

Kills bacteria, mould & mildew

Biodegradable detergents and descalers Rapidly removes daily accumulations of body fat and limescale

Effective in hard and soft waters





## **CARPET & FABRIC CARE**

Code: V-CFC002

Economical to use – high activity

Gently removes dirt and grime

Effective in hard and soft waters

Petroleum solvent free

Non Caustic

Pleasant perfume

Biodegradable

Controlled foam system

Includes water softener





PLOON CLEANER

(903)

SALAINTAIN!

PARRIE CARE



# UNIVERSAL FLOOR CLEANER

Code: V-UFC003

Easily removes dirt and grime

Petroleum solvent free

Non-caustic

Biodegradable

Controlled foam system

Includes water softener







#### Made in the UK

Victor have been proudly making commercial cleaning equipment in Birmingham for over 75 years.



#### **Built to Last**

We believe in producing long lasting equipment that will stand the test of time in the most demanding environments.



#### **3 Year Warranty**

All Victor rotary machines are backed up by a 3 year warranty. (Subject to



#### No Cogs

Our rotary machines, use belt driven 
All Victor rotary machines have fully technology which means there are no complex cog mechanisms to go wrong.



#### **Ergonomic Design**

adjustable ergonomic handles, for optimum user comfort.



#### **CentreFlex® Drive Board**

CentreFlex® drive boards self levels whilst cleaning. This ensures a perfectly clean finish on both flat or uneven surfaces.



#### Simple Engineering

Simple engineering means simple maintenance for the end user.



#### **Easy Transport**

Sturdy wheels ensure easy transport of Victor machines, when not in use.



#### **Bespoke**

Our in-house Research & Development department are on hand to help solve problems and create bespoke solutions on request.

14

# WHICH ROTARY MACHINE IS RIGHT FOR ME?

		Productivity (m² per hr)	Burnishing	Polishing	Spray Cleaning	Hard floor bonnet mopping	Scrubbing	Stripping	Marble Preparation	Wooden Floor Sanding	Scarifying	Carpetskimming	Carpet bonnet mopping	Carpet shampooing	Passive Dust Vacuumation	Active Dust Vacuumation
CONTRACTOR																
Contractor 400 Standard Speed	VR-C400S	300								•						
Contractor 400 High Speed	VR-C400H	350														
Contractor 450 Standard Speed	VR-C450S	400						•	•	•						
Contractor 400 High Speed	VR-C400H	450														
SPRITE																
Sprite 400 High Speed	VR-S400HE	350		•					•	•						
Sprite 450 High Speed	VR-S450HE	400							•							
SPRITE 300																
Sprite 300 Standard Speed	VR-S300	150							•	•			•			
MULTISPEED																
Multispeed 450	VR-MSI450	400 - 550														Can be added
TROJAN																
Trojan 450	VR-T17	180														Can be added
LYNX																
Lynx 15"	VR-L15	650														Can be added
Lynx 17"	VR-L17	700														Can be added
Lynx 20"	VR-L20	900														Can be added



# **Check out our**

# **COMMERCIAL CLEANING GUIDES**

On page 78

Simple guides on how to get the most out of your Victor Cleaning Products.





# BRUSHDRIVE

## FITS LIKE A PAD · CLEANS LIKE A BRUSH

BrushDrive blends the familiarity and easy installation of a traditional pad with the robust cleaning power of a brush. There's no need to change existing floor machines, no special attachment required and no operator learning curve. BrushDrive has been engineered to work with most existing machines, attaching quickly and simply to the existing driveboard, just like a regular pad. BrushDrive agitates chemicals, pushing them into grout lines and highs-lows where pads can't reach.

Outlasts traditional pads up to 50 to 1

Won't gum up when cleaning or stripping



#### Green BrushDrive (120-grit)

For heavy scrubbing and removal of dried on residue, saturated grout lines and layers of built up dirt.



#### **Black BrushDrive** (80-grit)

For stripping floors down to the

SBI58321 400mm

#### **Key features**

**Economical** 

Easy to install and use

Flexible and lightweight



**EASY TO FIT** 

Our Patent-pending, quick-change universal adaptor design attaches to any driveboard\* just as you would fit a pad. (\*D



**DESIGNED TO FIT** 



Pad bristles reach down into grout and texture for superior cleaning.

Fits most traditional 175-350 RPM machines: single-disc, auto scrubber, ride on, orbital.

#### **ROTARY MACHINE CONSUMABLES**

Floor pads, brushes, drive boards and tanks



#### STANDARD ROTARY MACHINE PADS



White Floor Pads Available in 12" 15" 17" 20"



**Red Floor Pads** For light cleaning tasks Available in 12" 15" 17" 20'



**Blue Floor Pads** For scrubbing delicate floors. Available in 12" 15" 17" 20"



**Green Floor Pads** For wet scrubbing and cleaning. Available in 12" 15" 17" 20"




**Black Floor Pads** For stripping floors Available in 12" 15" 17" 20"

#### **SPECIALIST ROTARY MACHINE PADS**



**Melamine Pad** Ideal for deep cleaning tasks Available in 12" 15" 17"



be used wet or dry and with or without a cleaning solution, to produce clean. residue-free surfaces, and restore shine to protected floors.



**Bonnet Mop** Available for carpets or hard floors Available in 12" 15" 17"



Skimming Pad For carpet skimmin Available in 12" 15" 17



**ROTARY MACHINE DRIVEBOARDS** 



#### **SPECIALIST ROTARY MACHINE PADS**



Poly Scrub Brush



Poly Shampoo Brush For Scrubbing hard floors For Shampooing Carpets Available in 300mm, 400mm, 450mm Available in 300mm, 400mm, 450mm



**BrushDrive Brush** Fits directly to a Victor drive board



CentreFlex® Drive Board



Burnisher Drive Board

#### **ROTARY MACHINE ACCESSORIES**





**Active Vacuum Exhauster** 





Anti-Splash Skirt

#### 12" CentreFlex® Drive board - VB30111 CentreFlex® 15" CentreFlex® Drive board - VB40141 17" CentreFlex® Drive board - VB45141 12" Red Pad - VE12RED 15" Red Pad - VE15RED Red Pads or Regular Cleaning 17" Red Pad - VE17RED 20" Red Pad - VE20RED 12" White Pad - VE12WHITE 15" White Pad - VE15WHITE White Pads For Polishing 17" White Pad - VE17WHITE 15" Green Pad - VE15GREEN Green Pads For Scrubbing 20" Green Pad - VE20GREEN 12" Blue Pad - VE12BLUE 5 Pack 15" Blue Pad - VE15BLUE Blue Pads For Periodic Cleaning 5 Pack 17" Blue Pad - VE17BLUE 5 Pack 20" Blue Pad - VF20BLUF 5 Pack 12" Black Pad - VF12BLACK 5 Pack 15" Black Pad - VF15BLACK Black Pads For Stripping 17" Black Pad - VE17BLACK 20" Black Pad - VE20BLACK 300mm White PPI Brush - VB30350 White Poly Scrub 400mm White PPL Brush - VB40350 450mm White PPL Brush - VB45350 300mm Blue PPL Brush - VB30320 Blue Poly shampoo 400mm Blue PPL Brush - VB40320 Brush 450mm Blue PPL Brush - VB45320 300mm Carpet Bonnet Mop - SBI5665 400mm Carpet Bonnet Mop - SBI5529 Bonnet Mops 300mm Hard Floor Bonnet Mop - SBI5510 400mm Hard Floor Bonnet Mop - SB15441 450mm Hard Floor Bonnet Mop - SBI5495 400mm Microfibre Skimming Pad - SBI9880 Skimming Pad 450mm Microfibre Skimming Pad - SBI9881 400mm Sanding Pad - VE11586 Sanding Pad 450mm Sanding Pad - VE11786 • 300mm Anti splash Skirt - VA9201/1 400mm Anti splash Skirt - VA9201/3 Anti splash Skirt 450mm Anti splash Skirt - VA9201/4 7l Ouick Release Solution Tank - VA9204 7l Solution Tank 15| Ouick Release Solution Tank - VA9205 15l Solution Tank Active Vacuum Active Vacuum Exhauster - AYE5000 Exhauster Quick Release Universal 400mm / 450mm - AYS1011

CONSUMABLES

ROTARY MACHINE

# **CONTRACTOR RANGE**

# Single Disk Rotary

The Contractor rotary machines offers unrivalled value and performance across a range of hard floor cleaning tasks including buffing, spray cleaning, scrubbing and bonnet mopping.

Available in high speed (300rpm) or standard speed (240rpm) and either 400mm or 450mm drive boards, the Contractor provides the flexibility to effectively carry out most hard floor cleaning

This versatile machine can be fitted with an optional cleaning solution tank for scrubbing or bonnet mopping.

The lower profile extended base allows users to clean effectively beneath overhanging shelving or tables.

- ✓ Made in the UK
- √ 3 Years Warranty
- ✓ Drive board included
- √ Maintenance packages available on request

Code	Description
VR-C400H	High Speed 400mm (15")
VR-C400S	Standard Speed 400mm (15")
VR-C450H	High Speed 450mm (17")
VR-C450S	Standard Speed 450mm (17")

#### Suitable for

Hard floor stripping Hard floor scrubbing Hard floor spray cleaning Hard floor polishing Hard floor bonnet mopping Carpet skimming Carpet bonnet mopping

### **Key features**



Tried & Tested Drive System gear wheels



Easy Cleaning Fluid Application Tensioned belt and pulley The solution tank upgrade is mechanism - no complex cogs/ quick and easy to install and is controlled by a trigger on the handle.



**Easy to Transport** Sturdy wheels enable effortless Twin capacitor motor ensures transportation.

**Technical Specifications** 



**3 YEAR** 

WARRANTY

**AVAILABLE IN:** 

**Ouiet & Smooth Motor** smooth start every time.

#### Consumables

Code	Name
VA9205	15I Quick Release Solution Tank
VA9204	7l Quick Release Solution Tank
D1000	15m High Visibility Cable
VA9201/3	400 Anti Splash Skirt
VA9201/4	450 Anti Splash Skirt
AYS1011	450 / 400 Universal Quick Release Skirt
VB40141	400 Centreflex Drive Board
VB45141	450 Centreflex Drive Board
VB40350	400 Poly Scrub Brush
VB45350	450 Poly Scrub Brush
VB40320	400 Shampoo Brush
VB45320	450 Shampoo Brush

	VR-C400H	VR-C450H	VR-C400S	VR-C450S
Voltage (V)	230	230	230	230
Working Width (mm)	400	450	400	450
Pad Speed (RPM)	300	300	240	240
Motor Power (W)	1100	1300	1100	1300
Noise Level (dB)	57	57	57	57
Cable Length (m)	15	15	15	15
Operating Down Force (kg)	28	28.5	28	28.5
Productivity (m² per hr)	350	450	300	400
Dimensions (L x W x H)	650x440x1100	700x490x1100	650x440x1100	700x490x1100
Weight (kg)	30.5	31	30.5	31

# **SPRITE RANGE**

# Single Disk Rotary with Vacuum

The Sprite Range is similar to our ever popular Contractor range, however features an active exhauster unit for a perfect dust free

Available in high speed (300rpm) and either 400mm or 450mm drive boards, the Sprite provides the flexibility to effectively carry out a range of floor cleaning tasks.

As with all Victor machines, Sprite machines are delivered fully assembled and ready for use. A drive board is included so you can simply attach the appropriate pad and start cleaning.

- ✓ Made in the UK
- √ 3 Years Warranty
- ✓ Drive board included
- √ Maintenance packages available on request



VR-S400HE High Speed 400mm (15") VR-S450HE High Speed 450mm (17")

#### Suitable for

**Key features** 

Hard floor spray cleaning Hard floor polishing Carpet bonnet mopping Hard floor bonnet mopping

**Active Exhauster Unit** 

Consumables

perfect finish by vacuuming the transportation. area to be free from dust particles.

Easy to Transport

Active exhauster unit ensures a Sturdy wheels enable effortless





Fitted Skirt



3 YEAR

WARRANTY

ACTIVE VACUUM

Simple to Maintain & Service

Ensures suction levels remain Tensioned belt and pulley high creating a dust free, perfect mechanism - no complex cogs/ gear wheels

# Technical Specifications

Code	Name	
AYE5000	Exhauster Vacuum Attachment	Vo
SB15666	Exhauster Vacuum Bags	W
D1000	15m High Visibility Cable Assembly	Pa
AYS1011	450 / 400 Universal Quick Release Skirt	Mo
VB40141	400 Centreflex Drive Board	No
VB45141	450 Centreflex Drive Board	Ca
		Op
		Pre

Technical Specifications		
	VR-S400HE	VR-S450HE
Voltage (V)	230	230
Working Width (mm)	400	450
Pad Speed (RPM)	300	300
Motor Power (W)	1500	1500
Noise Level (dB)	57	57
Cable Length (m)	15	15
Operating Down Force (kg)	27.4	32.4
Productivity (m² per hr)	350	450
Active Vacuumation (Mbar)	160	160
Vacuum Capacity (L)	4	4
Dimensions (L x W x H)	650x440x1100	700x490x1100
Weight (kg)	37	37.5

# **SPRITE 300**

# Slimline Single Disk Rotary

The Sprite 300 is one of the most slimline machines on the market today, allowing it to be used in the tightest of areas.

The Sprite 300 operates at our standard speed (240 RPM) to give the operator the opportunity to carry out a number of cleaning tasks on both hard floors and carpets.

The fold over handle allows the machine to be stored in the smallest of cleaning cupboards and the brush hook on the rear of the handle provides convenient storage for either a brush or

As you would expect from such a versatile machine, a full range of accessories is available for the Sprite 300. These include tanks and a variety of brushes, polypropylene for scrubbing, for polishing and shampoo brushes for carpets.

- ✓ Made in the UK
- √ 3 Years Warranty
- ✓ Drive board included
- √ Maintenance packages available on request

Code	Description
VR-S300S	Standard speed slimline 300mm (15")

#### Suitable for

ROTARY MACHINES

Cleaning compact washrooms Hard floor scrubbing Hard floor spray cleaning Hard floor bonnet mopping Carpet skimming Carpet bonnet mopping

#### **Key features**



Tried & Tested Drive System gear wheels



Slimline Design Tensioned belt and pulley Ideal for cleaning around tight mechanism - no complex cogs/ or confined spaces such as washrooms

Need some help? Call us today: +44 (0)121 706 5771



**Easy to Store** The fold over handle makes the Twin capacitor motor ensures Sprite 300 incredibly easy to store. smooth start every time.



**3 YEAR** 

WARRANTY

SUPER

**Ouiet & Smooth Motor** 

#### Consumables

Name	
15I Quick Release Solution Tank	
9204 7I Quick Release Solution Tank	
15m High Visibility Cable Assembly	
300 Centreflex Drive Board	
300 Scrubbing Brush	
300 Anti Splash Skirt	
300 Shampoo Brush	

Technical Specifications		
	VR-S300	
Voltage (V)	230	
Working Width (mm)	300	
Pad Speed (RPM)	240	
Motor Power (W)	1100	
Noise Level (dB)	57	
Cable Length (m)	15	
Operating Down Force (kg)	26.5	
Productivity (m² per hr)	150	
Dimensions (L x W x H)	450x300x1110	
Maight (kg)	20	

# **MULTISPEED**

Variable Speed Single Disk Rotary

The Victor Multispeed Rotary Floor Scrubber and Polisher Machine is the ideal choice for venues where hard flooring requires both deep cleaning and polishing, such as schools, colleges, nightclubs,

Ideal for users who require a rotary floor tool for multiple different uses, but don't want the cost of maintaining of multiple machines.

The Victor Multispeed can easily change between 200 RPM and 400 RPM at the flick of a switch.

As with all Victor machines, Multispeed machines are delivered fully assembled and ready for use. A drive board is included so you can just attach the appropriate pad and start cleaning.

- ✓ Made in the UK
- √ 3 Years Warranty
- ✓ Drive board included
- √ Maintenance packages available on request

VR-MSI450 450mm (17")

#### Suitable for

Hard floor stripping or scrubbing Hard floor spray cleaning Hard floor polishing Carpet shampooing and scrubbing Carpet skimming Bonnet mopping

#### **Key features**



**Dual Speed** at the flick of a switch



Easy to Transport Switch between 200 and 400rpm Sturdy wheels enable effortless transportation.



Easy Cleaning Fluid Application Simple to Maintain & Service controlled by a trigger on the gear wheels



The solution tank upgrade is Tensioned belt and pulley quick and easy to install and is mechanism - no complex cogs/

#### Consumables **Technical Specifications**

Code	Name
VA9205	15I Quick Release Solution Tank
VA9204	7l Quick Release Solution Tank
D1000	15m High Visibility Cable Assembly
VA9201/4	450 Anti Splash Skirt
AYS1011	450 Quick Release Skirt
VB45141	450 Centreflex Drive Board
VB45350	450 Poly Scrub Brush
VB45320	450 Shampoo Brush
AYE5000	Exhauster Vacuum Attachment
SB15666	Exhauster Vacuum Bags

	VR-MSI450
Voltage (V)	230
Working Width (mm)	450
Pad Speed (RPM)	200 - 400
Notor Power (W)	1500
loise Level (dB)	57
able Length (m)	15
perating Down Force (kg)	32.5
Productivity (m² per hr)	500 - 550
Dimensions (L x W x H)	730x490x1100
Weight (kg)	75

# 3 YEAR











# **TROJAN**

# Heavy Weight, Lower RPM

The Trojan operates at 180 RPM, ideal for scrubbing and scarifying. This slightly slower RPM is the optimal for a range of tasks from carpet cleaning to marble preparation when used in conjunction with optional added weights.

The Trojan is an exceptionally powerful rotary machine. Capable of being loaded with up to an extra 30kg of weight, the Trojan is ideal when a tough scrubbing or scarifying task needs completing.

Designed for the heaviest of tasks, the Trojan features a corrosion proof undercover. This allows the strongest cleaning chemicals to be used without causing damage to the machine.

The Trojan comes ready to use with a 15L tank, driveboard and antisplash skirt. A wide range of pads, shampoo brushes, scarifying brushes and additional weights are available on request.

- ✓ Made in the UK
- √ 3 Years Warranty
- ✓ Drive board included
- √ Maintenance packages available on request

Code	Description
VR-T17	Low Speed 450mm (17")

#### Suitable for

Hard floor stripping Hard floor scrubbing Hard floor spray cleaning Hard floor sanding Hard floor bonnet mopping Carpet skimming Carpet bonnet mopping Marble Preparation Scarifying

#### **Key features**



At 180 RPM the slower speed of Sturdy wheels enable effortless the Trojan makes it ideal for carpet transportation. When in use, cleaning, floor sanding, deep these wheels float off the floor cleaning or marble preparation. effortlessly.



#### **Easy Transportation**

### Extra Weights Available

weights of 10kg each can be added to handle, the 15l solution tank is the Trojan. The increased downforce suitable for a range of cleaning is ideal for heavy duty tasks.



**3 YEAR** 

WARRANTY

#### 15l Solution Tank

A weight box and up to 3 additional Operated by the trigger on the tasks.

#### Consumables

Code	Name
VB45420	450mm Heavy Duty Scarifying Brush Disk
Q1061	Weight box & 3 x 10kg weights
VA9205	15I Quick Release Solution Tank
VA9204	7l Quick Release Solution Tank
D1000	15m High Visibility Cable
VA9201/4	450 Anti Splash Skirt
AYS1011	450 / 400 Universal Quick Release Skirt
VB45141	450 Centreflex Drive Board
VB45350	450 Poly Scrub Brush
VB45320	450 Shampoo Brush
AYE5000	Exhauster Vacuum Attachment
SB15666	Exhauster Vacuum Bags

#### **Technical Specifications**

Need some help? Call us today: +44 (0)121 706 5771

	VR-T17
Voltage (V)	230
Working Width (mm)	450
Pad Speed (RPM)	180
Motor Power (W)	1500
Noise Level (dB)	57
Cable Length (m)	15
Operating Down Force (kg)	upto 65kg
Productivity (m² per hr)	500 - 550
Dimensions (L x W x H)	730x490x1100
Weight (kg)	38 - 68

# LYNX RANGE

# Burnishing

The Lynx operates at 1080 RPM to give excellent productivity in spray cleaning or burnishing and a superior finish on the floor.

The Lynx features a passive vacuum which helps collect surface dust into an on-board dust bag. For areas more prone to dust build up, an active exhauster unit can be added which creates a powerful vacuum action.

Easy to use, fold-over handle allows the Lynx to be stored in the

Available in 3 sizes 15" (400 mm), 17" (450 mm) and 20" (500 mm)

The Lynx can be fitted with an exhauster for areas where an active dust collection unit is necessary. However where sound is an issue the Lynx has the ability to be converted to a silent passive dust collection system.

- √ Made in the UK
- √ 3 Years Warranty
- ✓ Drive board included
- √ Maintenance packages available on request

Code	Description	
VR-L15	400mm (15")	
VR-L17	450mm (17")	
VR-L20	500mm (20")	

#### Suitable for

Hard floor spray cleaning Hard floor burnishing

#### **Key features**



Superior Results excellent productivity and finish.



Long-Life Use

1080 RPM operating speed gives Toughened plastic pad gripper prevents pad from working use and ensures longevity.



**Easy Storage** 

The Lynx folds down to allow easy compact storage.

**Technical Specifications** 



**Active or Passive Vacuum** 

Vacuum exhauster can be fitted securely to handle

#### Consumables

Code	Name
D1000	15m High Visibility Cable Assembly
C1613/B	Diffuser strip
AYH2033	Exhauster hose assembly
AYE5000	Exhauster Vacuum Attachment
C1456	Passive Vacuum Bags 10pc
SB15666	Exhauster Vacuum Bags 10pc

	VR-LI5	VR-LI'/	VR-L2
Voltage (V)	230	230	230
Working Width (mm)	400	450	500
Pad Speed (RPM)	1080	1080	1080
Motor Power (W)	1500	1500	1500
Noise Level (dB)	57	57	57

1500 Cable Length (m) Operating Down Force (kg) 32.5 37.5 Productivity (m² per hr) 650x575x1150 Weight (kg) 38.4

ROTARY MACHINES



0/110 PASSIVE VACUUM



**AVAILABLE IN:** 





#### THE NEW CORDLESS CLEANING RANGE



# WHY CHOOSE THE VICTOR CORDLESS RANGE?

The new Cleaning VC ordless Battery Technology used in Victor Cordless machines delivers all the convenience of cordless without compromising on professional performance.



#### **HIGH QUALITY CELLS**

Victor battery cells are aligned in a way to ensure constant power is delivered over impressive run times, maximising range and extending battery life.



#### **ONE SIZE DOESN'T FIT ALL**

Each machine has optimised battery power, rather than a 'one size fits all' approach. Using a common battery across a range of machines, (e.g. same battery in a scrubber dryer machine as a vacuum) will either be overpowered or under-powered, potentially constraining machine capabilities.



#### Long life

Victor Cleaning V Cordless Batteries are designed to give a long-life, delivering up to 2500 charge cycles (compared to traditional more commonly used gel batteries, which only last on average 300 cycles.\* \*based on market knowledge of scrubber dryers



#### **SIMPLE CHARGING**

Swap out batteries can be easily removed with just one hand movement or conveniently charged on the machine itself. This allows for multiple batteries, enabling much longer runtimes.



#### **SWAP OUT & LOCKABLE**

lockable (on 'bottle' batteries only): Lockable to help prevent theft and misuse.

Need some help? Call us today: +44 (0)121 706 5771



#### **Unique BMS**

experience is demonstrated with the unique pending)

# WHY GO CORDLESS?

Quicker, safer and more convenient, switching to Cleaning VC ordless raises productivity levels, saving time and money.

With no cables to hold you back, you can get into those hard to reach areas in small spaces and you can cover a greater distance without the limitation of a cord.



#### Increased productivity

Cordless increases manoeuvrability, making it really easy to move freely and safely around your facility.



#### Mid cycle Charging

Increased operator efficiency and improved machine utilisation - machines can be used mid-charge cycle if necessary meaning a machine is always ready when needed.



#### Extra quiet

So quiet you can keep cleaning all day long without disturbing anyone.



#### No trailing cables

Cleaning with cordless removes a massive health and safety hazard – cables. Clean in public areas without risk of trip hazards.



#### **Daytime cleaning**

Possible to replace night shifts as cordless machines enable daytime cleaning due to removal of trip hazards



#### No PAT testing required

Eliminate costly PAT testing requirements for cabled machines



#### **Lower energy costs**

Lower annual energy costs through utilisation of battery power technology.






Option of either Key-lockable on non

Victor's exemplary design and engineering battery management system (BMS) (patent



**SD50** 

Page 45



# LYNX CORDLESS Burnishing

The Cordless Lynx is a revolution in hard floor spray cleaning and

With fast charge times and long runtime the Lynx Cordless is ideal for daytime cleaning where trailing cables could cause a trip

The Lynx Cordless operates at 800 RPM to give excellent productivity in spray cleaning or burnishing and a superior finish

The Lynx features a lockable, swap-out battery, making it ideal for operatives who require long runtimes, offering the ability to charge multiple batteries.

The Lynx Cordless also features a passive vacuum which helps collect surface dust into an on-board dust bag.

Easy to use, fold-over handle allows the Lynx to be stored in the smallest of places.

- Made in the UK

**BATTERY** 

**POWERED** 

ROTARY

**MACHINES** 

- 3 Years Warranty
- Drive board, battery & charger included
- Maintenance packages available on request

Code	Description
VR-BL15	Lynx Battery Burnisher 400mm (15")
_ •	

#### Suitable for

- ✓ Hard floor Burnishing
- ✓ Hard floor spray cleaning

#### **Key features**







Long-Life Use prevents pad from working use and ensures longevity.



Lockable, Swap Out Battery Swap out battery enables batteries for longer runtimes.



**3 YEAR** WARRANTY

0/10

PASSIVE VACUUM

BATTERY POWERED

**CORDLESS ROTARY MACHINES** 

29

**Passive Vacuum** Passive vacuum collects dust operatives to use multiple particles to help create a perfect

Consur	Consumables		
Code	Name		
VA9201/4	450 Anti Splash Skirt		
AYS1011	450 Quick Release Skirt		
VB45141	450 Centreflex Drive Board		
VB45350	450 Poly Scrub Brush		
VB45320	450 Shampoo Brush		
R1142	Swap Out Lithium Battery		
R1143	Charging Cable		

Technical Specifications	
	VR-BL15
Voltage (V)	24
Working Width (mm)	400
Pad Speed (RPM)	800
Motor Power (W)	1500
Noise Level (dB)	57
Operating Down Force (kg)	32.5
Productivity (m² per hr)	650
Runtime (Min)	45 per battery
Charge Time from flat (Min)	240
Dimensions (L x W x H)	650x490x1150
Weight (kg)	35

31

# **CONTRACTOR CORDLESS**

# Single Disk Rotary

The Contractor Cordless rotary machine offers unrivalled value and performance across a range of hard floor cleaning tasks including buffing, spray cleaning, scrubbing and bonnet mopping.

This high speed (240rpm) machine comes supplied with a 400mm drive board, providing the flexibility to effectively carry out most hard floor cleaning tasks.

With fast charge times and long runtime the Contractor Cordless is ideal for daytime cleaning where trailing cables could cause a trip

The Contractor Cordless features a lockable, swap-out battery, making it ideal for operatives who require long runtimes, offering the ability to

This versatile machine can be fitted with an optional cleaning solution tank for scrubbing or bonnet mopping.

The lower profile extended base allows users to clean effectively beneath overhanging shelving, tables, hospital beds and other low level furniture.

- Made in the UK
- 3 Years Warranty
- Drive board, battery & charger included

VR-BC400H Battery Contractor Rotary (400mm)

#### Suitable for

ROTARY MACHINES

CORDLESS

- ✓ Hard floor stripping
- ✓ Hard floor spray cleaning
- ✓ Hard floor bonnet mopping
- Carpet skimming
- ✓ Carpet bonnet mopping

#### **Key Features**



Simple to Maintain & Service gear wheels

15I Quick Release Solution Tank

7l Ouick Release Solution Tank

400 Centreflex Drive Board

Swap Out Lithium Battery

400 Poly Scrub Brush

400 Shampoo Brush

Charging Cable

VA9201/3 400 Anti Splash Skirt

Consumables

VA9205

VA9204

VB40141

VB40350

VB40320

R1143



Easy Cleaning Fluid Application Lockable, Swap Out Battery Tensioned belt and pulley The solution tank upgrade is Swap out battery enables The Soft start motor eliminates mechanism - no complex cogs/ quick and easy to install and is operatives to use multiple any jerking motion associated controlled by a trigger on the batteries for longer runtimes.





**3 YEAR** 

with rotary machines, ensuring operative comfort

Soft Start Motor

#### Technical Specifications

rechnical Specifications			
	VR-BC400H		
Voltage (V)	24		
Working Width (mm)	400		
Pad Speed (RPM)	240		
Motor Power (W)	1100		
Runtime (Min)	45 per battery		
Charge Time from flat (Min)	240		
Noise Level (dB)	57		
Operating Down Force (kg)	26.5		
Productivity (m² per hr)	150		
Dimensions (L x W x H)	450x400x1110		
Weight (kg)	28		

## **MULTISPEED CORDLESS**

Variable Speed Single Disk Rotary

The Victor Multispeed rotary floor scrubber and polishing Machine is the ideal choice for venues where hard flooring requires both deep cleaning and polishing, such as schools, colleges, nightclubs, hospitals

Ideal for users who require a rotary floor tool for multiple different uses, but don't want the cost of maintaining of multiple machines.

The Victor Multispeed can easily switch between different speed settings at the flick of a switch. - Slower speeds for scrubbing and higher speed for polishing.

With fast charge times and long runtime the Multispeed Cordless is ideal for daytime cleaning where trailing cables could cause a trip

The Multispeed Cordless features a lockable, swap-out battery, making it ideal for operatives who require long runtimes, offering the ability to charge multiple batteries.

- Made in the UK
- 3 Years Warranty
- Drive board, battery & charger included

Code	Description
VR-BMSI400	Battery Multispeed Rotary (400mm)

#### Suitable for

- ✓ Hard floor scrubbing
- Hard floor polishing
- Hard floor spray cleaning
- Hard floor bonnet mopping
- Carpet skimming
- Carpet bonnet mopping

#### **Key Features**



Dual Speed The Multispeed offers a choice of speeds at the flick of a switch

15I Quick Release Solution Tank

400 Centreflex Drive Board

Swap Out Lithium Battery

400 Poly Scrub Brush

400 Shampoo Brush

Charging Cable

VA9201/3 400 Anti Splash Skirt

7l Ouick Release Solution Tank

Consumables

VA9205

VA9204

VB40141

VB40350

VB40320

R1143



Lockable, Swap Out Battery Swap out battery enables operatives to use multiple batteries for longer runtimes.



**Easy Cleaning Fluid Application** 



**3 YEAR** 

WARRANTY

BATTERY POWERED

Soft Start The solution tank upgrade is The Soft start motor eliminates quick and easy to install and is any jerking motion associated controlled by a trigger on the with rotary machines, ensuring operative comfort

Tachnical	Specifications	

	VR-BMSI400
Voltage (V)	24
Working Width (mm)	400
Pad Speed (RPM)	200 / 400
Motor Power (W)	1500
Runtime (Min)	45 per battery
Charge Time from flat (Min)	240
Noise Level (dB)	57
Operating Down Force (kg)	32.5
Productivity (m² per hr)	500 - 550
Dimensions (L x W x H)	730x400x1100
Weight (kg)	28

**30** 



# Why Oscillation?

Oscillating floorcare machines are incredibly effective at maintaining floors. Compared to traditional rotary scrubbers that rotate circular pads between 175 and 300 revolutions per minute, oscillating floor machines oscillate the typically rectangular-shaped pad driver offer 3000 rounds of 7mm cleaning action per minute. The quicker revolutions allow operatives to make light work of cleaning floors.

The increased agitation through speed reduces the amount of time it takes to scrub the floor





#### Simple to Use

The Ocelot range has no complicated menus or buttons. Simply switch on and start cleaning



#### **Swap Out Battery**

The easy swap out battery ensures the Ocelot range can be in use for as long as necessary.



#### **Edge to Edge Cleaning**

Unlike circular rotary machines, The Ocelot range's rectangular drive board allows edge-to-edge cleaning.



#### **Long Battery Life**

The Ocelot range features batteries with long run times and fast charge



#### **Deep Cleaning Action**

3000 rounds of 7mm cleaning action per minute creates superior results on a range of hard floors.



#### **Reduced Chemical Use**

Even if there is a build up of dirt only a neutral cleaning solution or plain water is required.

# **DO YOUR SAFETY FLOORS LOOK DULL & UNCLEAN?**

Although excellent at preventing slips in commercial environments and incredibly hard wearing when maintained correctly. safety flooring can be notoriously difficult to clean. Safety flooring's non-slip properties are created by the peaks and troughs in it's sandpaper like surface. Dirt gets captured in the recesses making it incredibly difficult and labour intensive to clean.

If dirt is left to accumulate, not only is the floor unhygienic, but it loses it's non-slip qualities which is not only counterproductive but also hazardous.

# Why is safety flooring difficult to clean?



Safety flooring features a sandpaper like "peak and trough" pitted surface to



Dirt gathers and gets caught in the 'troughs' of the safety flooring's pitted surface.



Traditional mopping only skims the peaks, leaving dirt behind. Deck scrubbers only move the dirt around.



Over time dirt builds up in the recesses of the safety flooring which makes it look dull or patchy.

Cleaning safety flooring is synonymous with timeconsuming, labour-intensive and often unsatisfactory results. The increased agitation which oscillating machines provide reduces the amount of time it takes to scrub the floor.





#### Available cleaning pads for the Ocelot range



#### **MAINTAIN** Microfibre Pads (3pk)

CODE: VE40665

For general, maintenance and

Maintenance cleaning of all types of flooring in low-traffic/low soiling

Highly absorbent

Durable and long lasting, can be

#### Suitable for

All hard floors types



#### **CONTOUR** Texture & Grout Pads (3pk)

CODE: VE40765 SIZE: 600mm x 400mm

For deep cleaning of grout lines,

The fibres work like a brush to agitate dirt which has been engrained to textured surfaces

The extra thick backing helps ensure the fibres penetrate the nooks and crevices of floors giving maximum results

#### Suitable for:

Textured floors Grouted tile floors Concrete floors

#### Unsuitable for



#### **ERASE** Melamine Pads (3pk)

Code: VE40529

For deep cleaning and mark removal on many types of floors.

Melamine is ideal for deep cleaning and restoration of micro-porous floor

Can be used wet or dry and with or without a cleaning solution, to produce clean, residue-free surfaces, and restore shine to protected floors.

#### Suitable for:

Anti-slip Safety Floors PVC

#### Unsuitable for: Varnished floors

Suitable for: Textured floors

Anti-slip Safety Floors

therefore be vacuumed up

Rubber studded floors Ceramic Tiles

**DURA** 

FibrePlus Pads (3pk)

CODE: VE40670

SIZE: 600mm x 400mm

For deep cleaning and mark

The fine fibres of the FibrePlus pad

can reach into the smallest cavities in

floor coverings for an effective clean. Dirt is removed from the surface, but

does not stick to the fibre, and can

35

**3 YEAR** 

WARRANTY

SUPER SLIMLINE

BATTERY POWERED

## **OCELOT 400**

# Oscillating Floor Cleaning Machine

The Ocelot 400 is a high speed oscillating machine which effortlessly achieves outstanding results with reduced chemical usage.

The Ocelot can be used for 2 hours on a single charge, and can be fully recharged in under 4 hours.

The Ocelot features a compact design whilst maintaining a 400 mm cleaning pad. This makes the Ocelot 400 lightweight and manoeuvrable enough to clean in tight

Unrivalled mechanical cleaning operation through crosswise oscillation creating 3000 rounds of 7mm cleaning action per minute.

- Superior cleaning results
- Reduced chemical use
- Robust & built to last
- Long runtime 1.5hr+
- No trailing cables
- Made in the U.K
- Fast charge

VR-O400B Ocelot 400

#### Suitable for

**OSCILLATING MACHINES** 

- ✓ Deep cleaning safety flooring
- ✓ Hard floor restoration
- ✓ Hard floor deep cleaning
- ✓ Periodic & maintenance cleaning

#### **Key Features**



**Reduces Slip Hazards** 

Less water use on the floor ensures floors are perfectly dry instantly, whilst restoring the non-slip properties of safety flooring.



**Reduced Chemical Costs** The efficacy of the mechanical action, combined with the use of abrasive pads, minimizes the use of detergents



**Reduced Training Time** No complicated displays or excessive settings, the Ocelot is



**3 YEAR** 

WARRANTY

SUPER

BATTERY POWERED

**Versatile Cleaning** The Ocelot creates outstanding results on a range of floor types

#### Consumables

Code:	Name
VE40665	Maintain - Microfibre pads (3 pc)
VE40529	Erase - Melamine pads (3 pc)
VE40765	Contour - Texture & grout pad (3 pc)
VE40670	Dura - FibrePlus pad (3 pc)
VA9203	4 Litre Tank
R1073	Spare Battery
R1075	Replacement Charging Cable

#### Technical Specifications

	VR-0400B
Power	24V, 450W (0.6HP)
Working Width (mm)	400
Noise Level (dBA)	79 dBA
Runtime (hr)	1.5
Charge Time (from flat) (hr)	4
Vibration at Handle mms/2	15
Vibration m/s^2	8.25
Dimensions HxWxD (mm)	1160 x 400 x 330
Weight (kg)	16
Solution tank (I)	4

## **OCELOT PLUS 400**

Oscillating Floor Cleaning Machine with Wet Pick-Up

The Ocelot Plus features all the capabilities of the Ocelot 400, but with the addition of vacuumation for wet pick up.

This high speed oscillating machine which effortlessly achieves outstanding results with reduced chemical

The Ocelot plus can be used for over just under 2 hours or up to 3 hours with the vacuumation switched off. The battery is fully recharged from flat in under 4 hours.

The Ocelot features a compact design whilst maintaining a 400 mm cleaning pad. This makes the Ocelot 400 lightweight and manoeuvrable enough to clean in tight

The Ocelot plus features a swap out battery, making it ideal for operatives who require multiple batteries for longer runtimes.

- Robust & built to last
- Long runtime
- No trailing cables
- Made in the U.K

Code	Description
V-OC400B-PLUS	Ocelot 400 Plus

#### Suitable for

- ✓ Deep cleaning safety flooring
- Hard floor restoration
- Hard floor deep cleaning
- Periodic & maintenance cleaning

#### **Key Features**



**Powerful Oscillation** 

Consumables

Code: VE40665

VE40529

VE40765

VE40670

VA9204 R1073

R1075

7mm cleaning action per minute.



Wet Pick Up

Unrivalled mechanical cleaning The Ocelot Plus is ideal for a range of operation through crosswise deep cleaning tasks allowing it to pick oscillation creating 3000 rounds of up any water it puts down, leaving the

Maintain - Microfibre pads (3 pc)

Contour - Texture & grout pad (3 pc)

Erase - Melamine pads (3 pc)

Dura - FibrePlus pad (3 pc)

Replacement Charging Cable

Spare Battery





**Reduced Training Time** No complicated displays or excessive settings, the Ocelot is

**Swap Out battery** Swap out battery enables operatives to use multiple batteries for longer runtimes.

#### **Technical Specifications**

	VR-OP400B
Power	24V, 450W (0.6HP)
Working Width (mm)	400
Noise Level (dBA)	79 dBA
Runtime (hr)	1
Charge Time (from flat) (hr)	4
Dimensions HxWxD (mm)	1180 x 400 x 600
Weight (kg)	25
Solution tank (I)	7

# **SCRUBBER DRYERS**











Hyperglide 350

Hyperglide 350

SD12







SD20

SD40

**SD50** 



SDR80

#### WHAT SCRUBBER DRYER IS RIGHT FOR ME?

	PRODUCTIVITY m <sup>2</sup> per Hr	WORKING TIME PER CHARGE (Hrs)	CHARGING TIME (Hrs)
Hyperglide 350	500	1	1.5
SD12	1600 Eco / 1100Max	2	2
SD20	1600 Eco / 1100Max	2	2
SD40	2000 Eco / 1400 Max	1.5	2
SD50	2800 Eco / 2000 Max	1.5	2
SDR80	3,900	4	12

# What makes Victor **Scrubber Dryers Unique?**









### Fast Charge & Long Run Times

Up to twice as long as industry standards. Batteries fully charged in half the time of industry standard.

#### **Magnetic Clutch**

The magnetic brush and driveboard fitting is easily removable, making changing brushes, pads and general maintenance much simpler.

#### **Higher RPM**

Victor Scrubber driers have a RPM of 340 - almost twice the industry standard, so can clean floors in half


# Simple to use controls

The Victor scrubber dryer range has been developed with the end user in mind. Simple controls make it easy for the user to get the machine to perform correctly and reduces training time

Just two simple buttons control all the functions.

# Twin Brush Design

Unique twin brush design powered by a single motor increases cleaning power and decreases the noise.



# **Wide Opening Tank**

Super wide opening tank allows easy access and cleaning for the user

cleaning, Victor scrubber driers have a downforce of up to 30kg.


# **High Brush Head Pressure**

# Ideal for heavy duty and deep

# **3 Year** Warranty


### **3 Year Warranty**

All Victor Scrubber Dryers are backed up by a 3 year warranty. \*SDR80 & Hyperglide 2 years as standard



#### **Front Mounted Squeegee** The squeegee is mounted in front of

the wheels. This ensures the wheels are never wet, resulting in a perfect finish.



#### **Super Compact**

Victor Scrubber Dryers are the lightest, shortest and narrowest when compared to alternatives with the same capacity.

#### MODE SELECTION

Mode selection button Eco / Max Power / Off and % detergent selection

#### WATER ADJUSTMENT

Water adjustment button from 0.3 to 2 l/min. The same button also allows draining the solution tank.

#### **POWER CONSUMPTION**

Displays the total power consumption.

#### **RUNTIME COUNTER**

Residual runtime and hour counter.



# **HYPERGLIDE 350**

# Ultra-Compact

The Hyperglide 350 is an ultra compact, upright scrubber dryer for all types of hard floors and carpets. It's contra-rotating brushes leave floors clean and dry within minutes, making this ideal for hotels, restaurants, bars, schools, offices, shops and healthcare

Effective on most floor types, particularly safety flooring, tiled floors, carpets and entrance matting.

Supplied with medium grade (grey) brushes, designed for universal use, however more specialised brushes are available.

The Hyperglide 350 is extremely light in operation and even with a full tank is comfortable to use with one hand. Similar to an upright vacuum cleaner, the Hyperglide is very simple to use which means minimal training requirements.

#### ✓ Contra rotating brush design

Cleans and dries at the same time, leaving floors touch dry instantly.

#### ✓ Effective on multiple floor types

Effective on most floor types, particularly safety flooring, tiled floors, carpets and entrance matting

#### √ Simple, but built to last

Easy access to routine maintenance parts

#### ✓ Light & easy to Use

Simple controls mean less training is required.

Hyperglide 350 - Mains powered



# **Key features**

Light & Portable

Consumables

SBI7269

SBI7270

V-H9816



Hyperglide Firm brush black

Hyperglide Medium brush grey





Extremely light in action and even 2 Contra-rotating brushes ensure with a full tank is comfortable to optimum cleaning power. use with one hand

Hyperglide Medium Contra Brush Grey

Hyperglide Firm Contra Brush Black

deal for periodic and deep cleaning.

aminate parquet flooring

Suitable for most surfaces, including porcelain tiles, ceramic, linoleum, PVC flooring, aluminium flooring,

uitable for surfaces requiring more abrasive force.

#### **High Performance**

Low Profile for Added Reach most furniture

#### Low profile and full handle 1.81 Recovery tank prevents dirty movement allows access under water leaking out



2 YEAR

WARRANTY

MAINS POWERED

## Extra Clean

Technical Specifications			
Mains Version	V-H9816		
Voltage (V)	230		
Motor Power (W)	400		
Working Width (mm)	385		
Brush Speed Front (RPM)	700		
Brush Speed Rear (RPM)	1145		
Working Capacity (m²/h)	500		
Cleaning Solution Tank (I)	4		
Capacity for Dirty Water (I)	1.8		
Weight (kg)	11		
Dii ()	770-705-1120		

# **HYPERGLIDE 350 CORDLESS**

# Ultra-Compact

The Hyperglide 350 Cordless is an ultra compact floor scrubber, for all types of hard floors and carpets. It's contra-rotating brushes leave floors clean and dry within minutes, making this ideal for hotels, restaurants, bars, schools, offices, shops and healthcare

The Hyperglide 350 Cordless offers a runtime of 1 hour, and can be recharged from flat in 90 minutes. The swap out battery allows operatives to charge multiple batteries for longer runtimes.

Effective on most floor types, particularly safety flooring, tiled floors, carpets and entrance matting

Supplied with medium grade (grey) brushes, designed for universal use, however more specialised brushes are available.

The Hyperglide 350 is extremely light in operation and even with a full tank is comfortable to use with one hand. Similar to an upright vacuum cleaner, the Hyperglide is very simple to use which means minimal training requirements.

#### √ Contra rotating brush design

Cleans and dries at the same time, leaving floors touch dry instantly.

#### ✓ Effective on multiple floor types

Effective on most floor types, particularly safety flooring, tiled floors, carpets and entrance matting

#### ✓ Simple, but built to last

Easy access to routine maintenance parts

#### √ Light & easy to Use

Simple controls mean less training is required.

Code	Description
V-H9819	Hyperglide 350 - Battery powered

#### **Key features**





use with one hand



Fast Charge & Long Runtimes

Extremely light in action and even The Hyperglide 350 Cordless with a full tank is comfortable to offers a runtime of 1 hours, and can be recharged from flat in 90



**Battery Light Indicator** 

Need some help? Call us today: +44 (0)121 706 5771

Operatives can clearly see how The swap out battery allows with the battery light indicator.

**Technical Specifications** 



2 YEAR

WARRANTY

Swap Out Battery

much charge time they have left operatives to charge multiple batteries for longer runtimes.

Consumables

Code	Name
SBI7269	Hyperglide Firm brush black
SBI7270	Hyperglide Medium brush grey
FSH2001	Hyperglide Battery only for V-H9819
FSH2002	Hyperglide Charger only for V-H9819

laminate parquet flooring



Hyperglide Medium Contra Brush Grey Suitable for most surfaces, including porcelain tiles, ceramic, linoleum, PVC flooring, aluminium flooring,

Hyperglide Firm Contra Brush Black Suitable for surfaces requiring more abrasive force.

deal for periodic and deep cleaning.

Battery Version	V-H9816B
Battery (v)	36 - 5.8A/h
Brushless Motor Power (W)	580 - 36V D.C.
Recharging Time (min)	90
Runtime (min)	60
Brush Speed Front (RPM)	700
Brush Speed Rear (RPM)	1145
Working Capacity (m²/h)	500
Cleaning Solution Tank (I)	4
Capacity for Dirty Water (I)	1.8
Weight (kg)	8.5 + 1.5
Dimensions (mm)	330x385x1120

**SCRUBBER DRYERS** 

WARRANTY

BATTERY POWERED

HEPA

# **SD12 SCRUBBER DRYER**

## Compact 12l Walk Behind

The SD12 Super compact scrubber dryer benefits from a slimline body and a fold over handle which make it incredibly easy to store and manoeuvre around tight spaces such as retail environments

The SD12 is the ideal compact scrubber dryer for cleaning surfaces from 250 - 500 m<sup>2</sup> and can clean up to 1600 m<sup>2</sup> on a single charge.

The front mounted brush head increases visibility in operation allowing the operator to see their working area, in addition to being able to get the brushes closer to corners and edges.

The patented two toothed brushes has simplified the transmission to a single motor, thus increasing productivity and reducing costs.

The SD12 has been designed to be simple to maintain. Routine maintenance tasks such as squeegee replacement, cleaning the clean-water filter and replacing brushes is fast and easy. The wide opening of the recovery tank makes with easy to access and clean.

#### √ High performance cleaning

High rotation double brush cleans better than single brush

#### √ Super Compact design

With the same tank capacity, Victor scrubber dryers are some of the shortest, narrowest and lightest options available.

#### √ Simple, but built to last

Easy access to routine maintenance parts

#### ✓ Easy to Use

**DRYERS** 

SCRUBBER

Simple controls mean less training is required.

#### √ Quick Charge & Long Runtime

#### √ Maintenance packages available on request

Code	Description	
V-SD12	12l Compact Walk Behind Scrubber Dryer	

#### **Key features**





motor which offers superior 66.7 decibels of sound. cleaning power.



Extra Ouiet

The SD12's patented 2 brush The SD12 has been design to be a design is powered by a single quiet as possible and creates just

#### Consumables

Code	Name
SBI0190	Front rubber blade for parabolic squeegee
SBI0200	Rear rubber blade for parabolic squeegee
SBI0320	Front polyurethane squeegee blade - anti-oil
SBI0330	Rear polyurethane squeegee blade - anti-oil
SBI0180	White toothed brush 8" 0.9mm
SBI0190	Blue toothed brush 8" 0.7mm
SBI0200	Blue toothed brush 8" 0.3mm
SBI0340	Tynex toothed brush 8" 0.6mm grit 320



Super Slimline At just 34kg the SD12 is very lightweight without compromising downforce. Although slimline, the SD12 still maintains a 400mm cleaning width

# Easy Storage

The fold over handle on the SD12 makes it incredibly easy to store in a cleaning cupboard, or fit in the boot of a car.

1 YEAR

WARRANTY

HEPA

#### **Technical Specifications**

	V-SD12
Voltage (V)	54.6
Motor Power (W)	250
Suction Turbine Rated Power (W)	200
Eco-Max Pot Runtime (min)	120 - 90
Load on brushes empty - full (kg)	15 - 23
Washing track, brushes (mm / inch)	06/2x8"
Squeegee width, suction (mm)	490
Battery charging times (h)	2.5
Solution tank, capacity (I)	12
Recovery tank, capacity (I)	14
Weight (kg)	34
Dimensions - Closed LxWxH (mm)	750x490x1070 (720)

# **SD20 SCRUBBER DRYER**

## Compact 20l Walk Behind

The SD20 compact scrubber dryer benefits from a slimline body which is easy to store and manoeuvre around tight spaces such as retail environments or washrooms.

The SD20 is the ideal compact scrubber dryer for cleaning surfaces from 250 - 1000 m<sup>2</sup> and can clean up to 2,400 m<sup>2</sup> on a single charge. (2,400 m<sup>2</sup> on Eco Mode, 1,700 m<sup>2</sup> on Max)

The front mounted brush head increases visibility in operation allowing the operator to see their working area, in addition to being able to get the brushes closer to corners and edges.

The patented two toothed brushes has simplified the transmission to a single motor, thus increasing productivity and reducing costs.

The SD20 has been designed to be simple to maintain. Routine maintenance tasks such as squeegee replacement, cleaning the clean-water filter and replacing brushes is fast and easy. The wide opening of the recovery tank makes with easy to access and clean.

#### √ High performance cleaning

High rotation double brush cleans better than single brush machines.

#### √ Compact design

With the same tank capacity, Victor scrubber dryers are some of the shortest, narrowest and lightest options available.

#### √ Simple, but built to last

Easy access to routine maintenance parts

#### ✓ Easy to Use

Simple controls mean less training is required.

#### ✓ Quick Charge & Long Runtime

#### √ Maintenance packages available on request

Code	Description
V-SD20	20l Walk Behind Scrubber Dryer

#### **Key features**



#### Front-mounted Double Brush

cleaning power.

#### Extra Ouiet

The SD20's patented 2 brush Powered by a single motor that design is powered by a single drives two brushes and the motor which offers superior suction turbine, the SD20 creates just 66 decibels of sound

# Consumables

Code	Name
SBI0190	Front rubber blade for parabolic squeegee
SBI0200	Rear rubber blade for parabolic squeegee
SBI0320	Front polyurethane squeegee blade - anti-oil
SBI0330	Rear polyurethane squeegee blade - anti-oil
SBI0180	White toothed brush 8" 0.9mm
SBI0190	Blue toothed brush 8" 0.7mm
SBI0200	Blue toothed brush 8" 0.3mm
SBI0340	Tynex toothed brush 8" 0.6mm grit 320



With the same capacity and track, the SD20 is one of the lightest (59kg) and most slimline 20L scrubber dryers available.

**Super Slimline** 



**Quick Charge Batteries** 

With runtime of up to 2 hours and a recharge time of just 2 hours, the SD20 has the ability to be in action 12 of 24 hours.

#### **Technical Specifications**

	V-SD20
Voltage (V)	54.6
Motor Power (W)	500
Motor Power Consumption - Eco-mode / Max (W)	240 / 340
Fank Capacity - Solution / Capacity (I)	20 / 22
Noise Level - Eco-mode / Max (dB)	64.6 / 66.6
Brush rotation speed - Empty / Loaded (RPM)	340/300
Load on brush pads (kg)	30
Charge Time	2hr (Setting 5A)
Cleaning area per charge Eco-mode / Max (m²)	2400 / 1700
Protection Level	IPX3
Weight (kg)	59
Dimensions - L x W x H (mm)	960 x 490 x 1100

# Compact 40l Walk Behind

The SD40 compact scrubber dryer benefits from a slimline body which is easy to store and manoeuvre around tight spaces such as retail environments or washrooms.

The SD40 is the ideal compact scrubber dryer for cleaning surfaces from 1000 - 2000m² and can clean up to 6,000m² on a single charge. (6,000m<sup>2</sup> on Eco Mode, 4,500m<sup>2</sup> on max)

The front mounted brush head increases visibility in operation allowing the operator to see their working area, in addition to being able to get the brushes closer to corners and edges.

The patented toothed brush design has simplified the transmission to a single motor, thus increasing productivity and

The SD40 has been designed to be simple to maintain. Routine maintenance tasks such as squeegee replacement, cleaning the clean-water filter and replacing brushes is fast and easy. The wide opening of the recovery tank makes with easy to access and clean.

#### √ High performance cleaning

High rotation double brush cleans better than single brush

#### √ Compact design

With the same tank capacity, Victor scrubber dryers are some of the shortest, narrowest and lightest options available.

#### ✓ Simple, but built to last

Easy access to routine maintenance parts

#### Easy to Use

Simple controls mean less training is required

#### ✓ Quick Charge & Long Runtime

#### √ Maintenance packages available on request

V-SD40	Description 40I Walk Behind Scrubber Dryer
	Tor Train Borning Corabbot Bryon

#### **Key features**



#### **Quick Charge Batteries**

With runtime of up to 2 hours and The SD40's patented 2 brush action 12 hours per day



#### Front-mounted Double Brush

a recharge time of just 2 hours, design is powered by a single the SD40 has the ability to be in motor, for superior cleaning power and visibility.

#### Consumables

Code	Name				
SBI0210 Front rubber blade for parabolic squeegee					
SBI0220	Rear rubber blade for parabolic squeegee				
SBI0340	Front polyurethane squeegee blade - anti-oil				
SBI0350	Rear polyurethane squeegee blade - anti-oil				
SBI0250	SBI0250 White toothed brush 10" 0.9mm				
SBI0260	Blue toothed brush 10" 0.7mm				
SBI0270	Blue toothed brush 10" 0.3mm				
SBI0350	Tynex toothed brush 10" 0.6mm grit 320				



#### **Extra Ouiet**

Powered by a single motor that With the same capacity and track, drives two brushes and the the SD40 is one of the lightest suction turbine results in the (65kg) and most slimline 40L SD40 creating just 66 decibels.

## **Super Slimline**

scrubber dryers available.

**3 YEAR** 

WARRANTY

#### **Technical Specifications**

	V-SD40
Voltage (V)	54.6
Motor Power (W)	500
Motor Power Consumption - Eco-mode / Max (W)	290 / 390
Tank Capacity - Solution / Capacity (I)	40 / 45L
Noise Level - Eco-mode / Max (dB)	64.6 / 66.6
Brush rotation speed - Empty / Loaded (RPM)	340/300
Load on brush pads (kg)	30
Charge Time	2hr (Setting 5A)
Cleaning area per charge Eco-mode / Max (m²)	6000 / 4500
Protection Level	IPX3
Weight (kg)	65
Dimensions - L x W x H (mm)	900 x 590 x 1100

# **SD50 SCRUBBER DRYER**

## Compact 50l Walk Behind

The SD50 compact scrubber dryer benefits from a slimline body which is easy to store and manoeuvre around tight spaces such as retail environments or washrooms.

The SD50 is the ideal compact scrubber dryer for cleaning surfaces from 1000 - 2000m<sup>2</sup> and can clean up to 8,400m<sup>2</sup> on a single charge. (8,400m² on Eco Mode, 6,300m² on max)

The front mounted brush head increases visibility in operation allowing the operator to see their working area, in addition to being able to get the brushes closer to corners and edges.

The patented toothed brush design has simplified the transmission to a single motor, thus increasing productivity and reducing costs.

The SD50 has been designed to be simple to maintain. Routine maintenance tasks such as squeegee replacement, cleaning the clean-water filter and replacing brushes is fast and easy. The wide opening of the recovery tank makes with easy to access and clean.

#### √ High performance cleaning

High rotation toothed brushes cleans better than single brush

#### √ Compact design

With the same tank capacity, Victor scrubber dryers are some of the shortest, narrowest and lightest options available.

#### √ Simple, but built to last

Easy access to routine maintenance parts

#### ✓ Easy to Use

Simple controls mean less training is required

#### ✓ Quick Charge & Long Runtime

#### √ Maintenance packages available on request

Code	Description
V-SD50	50L Walk Behind Scrubber Dryer

#### **Key features**



#### Front-mounted Double Brush

The SD50's patented toothed brush Powered by a single motor that and superior cleaning power.

# **Extra Ouiet**

design is powered by a single drives four brushes and the motor, offering maximum visibility suction turbine, the SD50 creates just 64 decibels of sound

#### Consumables

Code	Name
SBI0430	Front rubber blade for parabolic squeegee
SBI0440	Rear rubber blade for parabolic squeegee
SBI0420	Front polyurethane squeegee blade - anti-oil
SBI0450	Rear polyurethane squeegee blade - anti-oil
SBI0120	White toothed brush 7" 0.9mm
SBI0360	Blue toothed brush 7" 0.7mm
SBI0370	Blue toothed brush 7" 0.3mm
SBI0380	Tynex toothed brush 7" 0.6mm grit 320

#### **Super Slimline**

With the same capacity and track, the SD50 is one of the lightest (66kg) and most slimline 50L scrubber dryer available.



3 YEAR

WARRANTY

SCRUBBER DRYERS

45

#### **Quick Charge Batteries**

With runtime of up to 2 hours and a recharge time of just 2 hours, the SD50 has the ability to be in action 12 hours per day

#### **Technical Specifications**

	V-SD50
Voltage (V)	54.6
Motor Power (W)	500
Motor Power Consumption - Eco-mode / Max (W)	290 / 390
Tank Capacity - Solution / Capacity (I)	47 / 50
Noise Level - Eco-mode / Max (dB)	64.6 / 66.6
Brush rotation speed - Empty / Loaded (RPM)	340/300
Load on brush pads (kg)	30
Charge Time	2hr (Setting 5A)
Cleaning area per charge Eco-mode / Max (m²)	8400 / 6300
Protection Level	IPX3
Weight (kg)	66
Dimensions - L x W x H (mm)	900 x 750 x 1100

46

80l Compact Ride On Scrubber Dryer

The SDR-80 features the performance and manoeuvrability of a walk behind scrubber dryer, but with the added productivity of a ride-on scrubber dryer.

The front mounted brush head increases visibility in operation allowing the operator to see their working area, in addition to being able to get the brushes closer to corners and edges.

The patented two toothed brushes has simplified the transmission to a single motor, thus increasing productivity and reducing costs.

The SDR-80 has been designed to be simple to maintain. Routine maintenance tasks such as squeegee replacement, cleaning the clean-water filter and replacing brushes is fast and easy. The wide opening of the recovery tank makes with easy to access and clean.

The slimline design of the SDR-80 makes it very easy to manoeuvre, even if the operator is more accustomed to a walk behind machine.

#### √ High performance cleaning

High rotation double brush cleans better than single brush machines

#### ✓ Compact design

With the same tank capacity, Victor scrubber dryers are some of the shortest, narrowest and lightest options available.

#### ✓ Simple, but built to last

Easy access to routine maintenance parts

#### ✓ Easy to Use

Simple controls mean less training is required

#### ✓ Quick Charge & Long Runtime


#### √ Maintenance packages available on request

V-SDR-80 80l Ride On Scrubber Dryer


#### **Key features**



Front-mounted Double Brush Extra Ouiet Patented 2 brush design are The dual brush and suction turbine powered by a single motor, for are powered by a single motor



**Quick Charge Batteries** The SDR-80 has a runtime of 4hrs Routine and can be fully recharged in just cleaning tasks such have been



creating just 69 decibels in use.



**Simple Maintenance** maintenance and designed to be fast and simple.



**Heavy Duty Brush** Equipped with a heavy duty brush head (up to 41kg) with adjustable Designed to be as ultra slimline, allowing it to be lighter and more working pressure.



Squeegee in front of wheels the risk of skidding and impacts.




Drying the floor before it comes in Advanced power steering ensures contact with the wheels reduces ultimate manoeuvrability and driving comfort for the operator.





# **Twin Toothed**





All routine maintenance tasks such as cleaning and replacing the squeegee, cleaning the tank and replacing brushes are easy to access and effortless.



2 YEAR

WARRANTY

#### **High Brush Head Pressure**

The SDR-80 can be used for maintenance or deep cleaning. The SDR-80 comes equipped with an electric load adjustment which


# Consumables

Code	Name
SBI0170	Front V squeegee blade
SBI0180	Rear V squeegee blade
SBI0010	White toothed brush 13" 0.9mm
SBI0020	Blue toothed brush 13" 0.7mm
SBI0110	Blue toothed brush 13" 0.3mm
SBI0031	Tynex toothed brush 13" 0.6mm grit 320

#### Optional Accessories on Request

	·
Code	Name
B.001.0	Battery Gel 12V 105/140Ah / C5/C20 (2 units per machine)
B.012.0	Battery AGM Discover 12V 105/130Ah / C5/C20
X.024.0	Battery Charger 24V / 13A (suitable for all Gel/AGM/Acid batteries - includes removable power cord and SB120 connector) *

<sup>\*</sup> Cord/plug for different countries available on request with no extra-charge



Solution Tank (I)

Recovery Tank (I)	80
Cleaning Track (mm)	650
Theoretical Yield (m² per hr)	3900
Installed Power (W)	1350
Power supply (V)	24
Protection Degree	IPX3
Autonomy (Hr)	4
Energy Consumption (W per m²)	0.35
Dimensions (L x W x H) with mounted squeegee	1320 x 730 x 1225
Weight Without Batteries (kg)	125
Weight With Batteries (kg)	210
Reverse Corridor (m)	1.8
Noise Level (dB)	69
BRUSH ASSEMBLY	
Brushes	2 x Ø13" - 330mm
Brush Motor Rated Power (W)	550
Rated / Vacuum Brush Rotation Speed (RPM)	225 - 187
_oad on brushes adjustable (kg)	0-41
SUCTION	
Silenced turbine rated power (W)	500
Vacuum (0mm orifice)	1526 mm H20
TRANSMISSION	
Motor differential power with electric brake (W)	300
Working Speed (km/h)	0-4
Transfer Speed (km/h)	0-6
Max. Slope exceedable (work / ramp)	7% - 16%
WASHING HEAD LIFTING	
Gear motor power (W)	30
BATTERIES	
Battery compartment size x2 (mm)	375 x 375 x 315
Standard Batteries x 2	Gel 12V 105/140Ah (C5/C20)
Recommended battery unit size (mm)	345 x 170 x 285

Recommended battery unit weight (kg)

V-SDR-80

Need some help? Call us today: +44 (0)121 706 5771

RIDE-ON SCRUBBER DRYERS

# **SCRUBBER DRYER CONSUMABLES & ACCESSORIES**



# **EASY DOSING SYSTEM**

# Save chemical and save time with the Victor SD dosing system

The Victor SD range can be equipped with a simple detergent regulation system whose percentage (fixed with four values 0.2%, 0.5%, 1% and 1.5%) is set from the scrubber dryer's control panel. This allows the precise calibration of the amount of chemical product according to the application. This 'mix at source' dosing system reduces the waste of chemical compared to manual dosing by releasing the exact amount of chemical with the relevant amount of water.



**SCRUBBER DRYER CONSUMABLES** 

48

## **BRUSHES**

## **SOFT**



Blue Tooth PPL 0.7 mm Brush

Soft brush for hard floors

Available in 7", 8", 10" and 13"

Compatible with SD12, SD20, SD40, SD50 and SDR80

# HARD



Tynex Grit 320 Heavy Duty Pad

Heavy duty scrubbing pad brush for hard floors

Available in 7", 8", 10" and 13"

Compatible with SD12, SD20, SD40, SD50 and SDR80

# **PADS**





Red, Green and Black pads

Available in 7", 8", 10" and 13"

Compatible with SD12, SD20, SD40, SD50 and SDR80  $\,$ 

SDR80	SD50	SD40	SD20	SD12	SCRUBBER DRYERS
					RS
		•			
•					
				•	
		•			
•					
		•			
		•			
			•	•	
•		•			
•					
	SDR80				

4 units per machine	7" White Tooth / Cog Brush - SBI0120		
2 units per machine	8" White Tooth / Cog Brush - SBI0180		
2 units per machine	10" White Tooth / Cog Brush - SBI0250	White Tooth PPL 0.9 mm Brush	
2 units per machine	13" White Tooth / Cog Brush -SBI0010		
4 units per machine	7" Blue Tooth / Cog Brush - SBI0360		
2 units per machine	8" Blue Tooth / Cog Brush -SBI0190		
2 units per machine	10" Blue Tooth / Cog Brush - SBI0260	Blue Tooth PPL 0.7 mm Soft Brush	
2 units per machine	13" Blue Tooth / Cog Brush - SBI0020		
4 units per machine	7" Black Tooth / Cog Brush - SBI0370		
2 units per machine	8" Black Tooth / Cog Brush - SBI0200		
2 units per machine	10" Black Tooth / Cog Brush - SBI0270	Black Tooth PPL 0.5 mm X-Soft Brush	
2 units per machine	13" Black Tooth / Cog Brush -SBI0110		
4 units per machine	7" Tynex Tooth / Cog Brush - SBI0380		
2 units per machine 8" Tynex Tooth / Cog Brush - SBI0340			
2 units per machine	Tynex Grit 320 Tooth I 10" Tynex Tooth / Cog Brush - SBI0350		
2 units per machine	13" Tynex Tooth / Cog Brush - SBI0030		
	Front parabolic rubber blade - SBI0430		
	Front parabolic rubber blade - SBI0190	Front rubber blade for parabolic squeegee	
	Front parabolic rubber blade - SBI0210		
	Rear parabolic rubber blade -SBI0440		
	Rear parabolic rubber blade - SBI0200	Rear rubber blade for parabolic squeegee	
	Rear parabolic rubber blade - SBI0220		
	Front polyurethane rubber blade - SBI0420		
	Front polyurethane rubber blade - SBI0320	Front polyurethane rubber blade for parabolic squeegee - anti-oil	
	Front polyurethane rubber blade - SBI0340	parabolic squeegee - anti-oli	
	Rear polyurethane rubber blade -SBI0450		
	Rear polyurethane rubber blade -SBI0330	Rear polyurethane rubber blade for parabolic squeegee - anti-oil	
	Rear polyurethane rubber blade - SBI0350		
	Front rubber blade for V-shape squeegee - SBI0170	Rubber blade for V-shape squeegee -	
	Rear rubber blade for V-shape squeegee - SBI0180	anti-oil	

# EASY FIT HEPA 13 FILTER

The polluted air from the squeegee is conveyed through a HEPA H13 filter before being released into the environment. A small door allows access for cleaning or replacing the filter.



Need some help? Call us today: +44 (0)121 706 5771

# **CARPET CLEANERS & VACUUM CLEANERS**





#### **VACUUM CLEANERS**











V-9 HEPA Vacuum

V-9B Cordless Vacuum Upright Vacuum

**Back Pack Vacuum** 

STEAM CLEANERS

WET & DRY VACUUM CLEANERS







**CX7 Spray Extractor** 

INDUSTRIAL EXTRACTORS







**CARPET CLEANERS** 

Hot Water Extractor

Steam Spray Extractor SX15

WHICH VACUUM CLEANER IS RIGHT FOR ME?

	Dry Vacuum	Wet & Dry Vacuum	Steam cleaning	Spray Extraction	Wet Cleaning Carpets	HEPA Filtration	Mains Powered	Battery Powered
VACUUM CLEANERS								
V-9	•					•	•	
V-9B	•					•		•
Upright Vacuum Cleaner	•					•	•	
Back Pack Vacuum	•					•		•
WET & DRY VACUUM CLEANERS								
WD30	•	•			•		•	
WD60	•	•			•		•	
CX7				•	•		•	
STEAM CLEANER VACUUM CLEA	NERS							
SL8000	•	•	•		•	•	•	
INDUSTRIAL EXTRACTORS								
Hot Water Extractor	•	•		•	•		•	
Steam Extractor	•	•	•	•	•		•	
CARPET CLEANERS								
SX15				•	•		•	

# V-9 HEPA TUB VACUUM CLEANER

600W 9l Commercial Tub Vacuum

The Victor V-9 features a highly advanced HEPA filtration system without the need for expensive HEPA bags. This commercial tub vacuum is lightweight and easy to use whilst also being powerful

The V-9 has been certified to have a 99.9984%\* HEPA filtration rate, which is 8x higher than HEPA13 healthcare standards. The V-9's unique 5 castor design offers better stability and mobility than it's rivals, ensuring it won't topple over. The Victor V-9's powerful 600w motor delivers a full diameter intake, with no loss of suction, even when the bag is full.

and incredibly robust. Ideal for use on large carpets or hard floors.

The V9 HEPA filter cartridge captures and traps fine particles, such as pollen, dust mites and pathogens, including bacteria, reducing the risk of recirculation back into the environment.

\*HEPA delivers certified HEPA13 standards typically demanded in Healthcare environments of filtration down to 0.3 microns at 99.9984% efficiency (i.e. fewer than 300 particles per million).

#### ✓ Powerful & no loss of suction

High quality 600W motor and fixed HEPA filter ensures motor won't get blocked by the bag even when full.

#### Compact, lightweight design

Weighing in at 6kg, this 9l tub vacuum is super light in weight.

#### ✓ Simple, but built to last

Designed to sustain years of demanding use.

#### ✓ Easy to Use

Simple to use single switch and intuitive design.

#### ✓ Made in the UK

Made in our Birmingham factory.

Code	Description	_
V-9	9l HEPA Dry Tub Vacuum Cleaner	_
		-

# **3 YEAR** WARRANTY SUPER

#### **Key features**



#### **High Suction Powerhead**

Consumables

C4900

C1842 SBI6506

C1704

C1705

C1706

The powerful 600W Ametek Our HEPA filter delivers 99.9984% long life performance.

> Quick change cable HEPA Filter Kit

Combo Floor Tool

32mm Crevice Too

SBI5520P 9I Paper Filter Dust Bag pk10

32mm round dusting brush

32mm Carpet/Upholstery Brush

500mm Stainless Steel Downtube



#### **Advanced HEPA Filtration**

motor delivers high suction and efficiency - which is 8 times better than HEPA13 healthcare standards

	100
ĺ	
	120
١	

#### **Quick Wind Cable**

Vacuum top is designed to store the cable. Simply remove the hose and spin the V-9 on it's 5 castors to easily wrap the cable.



#### **Ouick Change Cable**

Our 'plug & play' cable ensures easy storage and simple replacement. Cable restrainer ensures cable won't pull out during use

# Technical Specifications

	V-9
Voltage (V)	230
Capacity (I)	9
Working Width (mm)	270
Motor Power (W)	600
Noise Level (dB)	60
Productivity (m <sup>2</sup> /hr)	250
Airflow (I/s)	58
Vacuumation (Mbar)	200
Accessory Diameter (mm)	32
Cable Length (m)	12.5
Weight (kg)	6
Dimensions (mm)	510y410y490

# THE DIFFERENCE IS IN THE DETAILS

#### HANDLE -

Moulded to fit down tube for easy transportation.

#### **CABLE CLIP**

Cable clips neatly into the handle for easy storage.

#### **QUICK WRAP CABLE**

Simply remove the hose and spin the V-9 on it's 5 castors to quickly wrap the cable for neat storage in the specifically moulded lid.

Cable restrainer on handle ensures the quick change cable won't unplug itself during use - even if pulled by the cable.

#### **HIGH QUALITY MOTOR**

High quality, powerful Ametek 600W Motor. Delivers high power suction, and lasting performance.

#### **UNIQUE RIGID FILTER**

The fixed HEPA filter prevents the motor from becoming blocked as the bag fills up. This ensures a high performance vacuum at all times - with no loss of suction



#### **COST EFFECTIVE PAPER BAGS**

The Victor V9 filters 99.9984% of dust and air particles, so there is no need for expensive HEPA bags. Our fixed filter combined with double walled paper bags are cost effective and don't let dust and other particles escape.

# **IMPACT RESISTANT TUB**

High capacity 9I tub made from high impact resistant, tough ABS plastic won't crack or shatter - even with continuous use.



#### **5 CASTOR DESIGN**

Our 5 castor design, offers much more stability than 4 wheel versions. This ensures the vacuum will stay upright, even when pulled around corners.

WARRANTY

# V-9B HEPA TUB VACUUM CLEANER

## 400W Battery Powered Commercial Tub Vacuum

Free yourself from the constraints of using cables with the Victor V-9 Battery Vacuum. Powerful, robust, yet easy to manoeuvre, the V-9B is the choice for daytime vacuuming.

The HEPA filter cartridge captures and traps fine particles, such as pollen, dust mites and pathogens, including bacteria, reducing the risk of recirculation back into the environment - without the need for expensive HEPA bags.

The dual power mode ensures a long battery life and swap out battery. The V-9B offers 120 minutes runtime on low power or 60 Minutes on full suction.

The V-9B has been certified to have a 99.9984%\* HEPA filtration rate, which is 8x higher than HEPA13 healthcare standards.

Featuring a unique 5 castor design, the V-9B offers better stability and mobility than the industry standard, ensuring it won't topple over when in use.

#### √ Powerful & no loss of suction

High quality 400W motor and fixed HEPA filter ensures motor won't get blocked by the bag even when full.

#### √ Long runtimes & fast charge battery

Up to 120 minutes runtime and recharge from flat in under 3 hours.

#### √ Simple, but built to last

Designed to sustain years of demanding use.

CLEANERS

VACUUM

Simple to use single switch and intuitive design.

#### ✓ Made in the UK

Made in our Birmingham factory

Code	Description
V-9B	HEPA Dry Tub Vacuum Cleaner



#### **Key features**



#### **High Suction Powerhead**

Consumables

Code C4991

C4993

C1842

SBI6506

C1704

C1705

C1706

AYH2053

The powerful 400W DC motor Our HEPA filter delivers 99.9984% performance.

> HEPA Filter Kit Combo Floor Tool

32mm Crevice Tool

2mtr Vacuum Hose

V-9B Replacement Battery

V-9B Replacement Charger

32mm Round Dusting Brush

32mm Carpet/Upholstery Brush

500mm Stainless Steel Downtube V9-B Paper Filter Dust Bag pk10



Advanced HEPA Filtration

delivers high suction and long life efficiency - which is 8 times better than HEPA13 healthcare

	100	
-		
800		7

**Swap Out Battery** 

The robust swap out battery allows the operative to charge multiple batteries, giving longer



**Dual Power Mode** 

The dual power mode ensures a long battery life. The V-9B offers 120 minutes runtime on low power or 60 Minutes on full suction

#### Technical Specifications

	V-9B
Voltage (V)	24
Capacity (I)	6
Working Width (mm)	270
Motor Power (W)	400
Runtime (Min) Low / High	120 / 60
Charge Time (Min)	180
Noise Level (dB)	<50
Waterlift (mm)	1350
Airflow (I/s)	34
Vacuumation (Mbar)	135
Accessory Diameter (mm)	32
Weight (kg)	8
Dimensions (mm)	510x410x490

# **UCS VACUUM CLEANER**

# Commercial Upright Vacuum

Tough, high performance upright vacuum cleaner for professional applications, featuring individual brush and suction motors for superb cleaning performance and reliability.

With fast, dust-free bag change, a range of tools and wand hose stored conveniently on the machine and a cleaning width of 350mm the UCS cleans quickly and thoroughly with the

The UCS has be designed to have a 99.9984%\* HEPA filtration rate, which is 8x higher than HEPA13 healthcare standards.

The UCS's HEPA filter cartridge captures and traps fine particles, such as pollen, dust mites and pathogens, including bacteria, reducing the risk of recirculation back into the environment.

\*HEPA delivers certified HEPA13 standards typically demanded in Healthcare environments of filtration down to 0.3 microns at 99.9984% efficiency (i.e. fewer than 300 particles per million).

#### √ Separate motors for brush and suction

Maximises machine lifetime and productivity

#### ✓ Poly-V belt transmission

Ensures effective power transmission, maximising performance

#### √ Brush bristles can be easily replaced

Reducing cost and need for an engineer

#### √ Simple, but built to last

Designed to sustain years of demanding use.

#### ✓ Made in the UK

Made in our Birmingham factory.

Code	Description
/-350	UCS Upright Vacuum Cleaner

#### **Key features**



Super Low profiles

Consumables

SBI6268

SBI7172

SBI6297

for cleaning under beds and other low level furniture.

SB15666 UCS Vacuum Bags 10pc

Dusting Brush

Crevice Nozzle

Plastic Extension Tube



On-board Tool Storage

The Victor UCS has the ability to The UCS has easy access, ongo completely flat, making it ideal board storage for cleaning tools.



Simple Control Panel

A clear and simple LED panel 4-position brush adjustment brush head.



Powerful Rotating Brush

indicates any issues with the ensures best results depending on floor type.

Technical Specifications	
	V-350
Voltage (V)	230
Brush Motor Power rating (W)	200
Vacuum Motor Power rating (W)	750
Capacity (I)	4
Cable Length (m)	12.5
Sound pressure level (dB(A))	73
Working Width (mm)	350
Air flow (I/s)	25
Vacuumation (Mbar)	185
Weight (kg)	9.5kg
Dimensions (mm)	1230x376x265

WARRANTY

# **NIMROD VACUUM CLEANER**

Commercial Cordless Stick Vacuum

The Victor Nimrod Stick vacuum cleaner is a commercial cordless vacuum cleaner which can either be used as a handheld vacuum cleaner for hard to reach areas, or a cordless upright for hard floors

The Nimrod is supplied with a wide range of accessories, making it incredibly versatile for a wide range of tasks. The Victor Nimrod commercial stick vacuum features a 380W brushless motor and for up to 35 minutes operating time.

The swap out 24V high performance Li-ion battery offers 24/7 cleaning capabilities when teamed with multiple batteries. The wall charger / accessory holder ensures all tools are kept neatly whilst charging. From flat, the Nimrod can fully charged in just

This highly effective, easy to use stick vacuum is ideal for cleaning public spaces, schools, workplaces, hospitality and retail.

#### √ Fast Charge

Fully charged from flat in just 3 hours

#### √ Compact, lightweight design

Weighing in at 2.3kg, this commercial stick vacuum is super light in weight

#### ✓ Simple, but built to last

Designed to sustain years of demanding use.

#### ✓ Easy to Use

**VACUUM CLEANERS** 

Simple to use single switch and intuitive design.



#### **Key features**



# 180 Degree Cleaning

The ultra nimble design ensures Delivers high suction and long life ease of cleaning under bed and performance.

Power brush floor tool

24V Li-ion battery

Code

SBI7900


SBI7901

SBI7903

SBI7904



Powerful 380w Motor



2-in-1 Vacuum Clean

The 2-in-1 design can be used as either a stick vacuum or handheld vacuum.



1 YEAR WARRANTY

**RUNTIME** 

**35** 

**MINUTES** 

**Swap out Battery** 

The swap out Li-ion battery offers 24/7 cleaning capability when teamed with multiple batteries.

#### **Technical Specifications** Consumables

Patented floor suction nozzle (with forward traction)

2 in 1 crevice nozzle with furniture brush

2 in 1 upholstery nozzle and furniture brush

•	
	V-9816
Voltage (V)	24
Capacity (I)	0.5
Working Width (mm)	255
Motor Power (W)	380
Charging Time (min)	85
Runtime (min)	Reg 35 / High 10
Power Settings	2
Filter Type	EPA
Swap out Battery	Yes
Weight (kg)	2.3
Dimensions (mm)	125 4 25 5 4 21 5

# **BATTERY BACK PACK VACUUM**

### Commercial Vacuum Cleaner

The Victor Back Vacuum Cleaner is a compact, lightweight and easy to use battery powered vacuum cleaner.

The high comfort harness allows operatives to wear for prolonged periods without strain. Ideal for environments where trailing cables reduces productivity, for example cinemas or trains.

The lithium battery has a life cycle of approx 2,000 cycles. These Lithium batteries guarantee up to 65 minutes of working time and fast recharging times (about 1h). With no "memory effect": the batteries can be charged at any time, even partially, without any risk of damage.

The dual power mode is ideal for varying runtimes, and increasing power when required.

The Victor Back Vacuum Cleaner is supplied with both an extendible wand tool and floor tools, making it adaptable to any vacuuming task.

#### √ Fast Charge & long Runtimes

65 minutes of working time and fully recharged in approx 1h.

#### ✓ Simple, but built to last

Designed to sustain years of demanding use.

#### √ Easy to Use

Simple to use single switch and intuitive design.

4l Back Pack Vacuum Cleaner

BPV Vacuum Bags 10pc

**Dusting Brush** 

Extension Tube

Crevice Nozzle



#### **Key features**

V-H9870



**High Comfort Harness** 

Suitable for prolonged periods of use, the Victor BPV features a high quality harness with tool storage holster.

Consumables

Code

SACCSP

APN36D

AB23S36D

ATPA36D

ALP23S36D



**Lightweight & Ergonomic** 

At just 7kg the Victor BPV is super lightweight and won't cause strain to the operative.



**Extendable Wand Tool** 

allows the user to reach hard to brush, crevice nozzle or floor tool. reach areas.



Accessories Includes Floor Tool Extra long reach extendable wand The BPV can be used with a detail

Technical Specifications	
	V-H9870
Voltage (V)	24V D/C
Capacity (I)	10
Working Width (mm)	400
Motor Power (W)	300W/350W
Noise Level (dB)	60
Waterlift	1300 mm H2O
Airflow	115 m3/h
Weight (kg)	7kg
Dimensions (mm)	390 x 390 x 790

WADDANT

This powerful, high suction vacuum, combined with wide floor nozzle always ensures superior performance and outstanding

Ideal for use in normal wet cleaning and stripping applications.

#### √ Use as a wet or dry vacuum cleaner

Simply remove the dry vacuum filter and use as a wet vacuum

#### ✓ Simple, but built to last

Designed to sustain years of demanding use.

#### ✓ Easy to Use

Simple to use single switch and intuitive design.

Code	Description

22l Wet & Dry Vacuum Cleaner

#### **Benefits**

CLEANERS

**DRY VACUUM** 

Ø

WET

Robust stainless steel housing ensures long life Full accessory kit

For wet and dry pick up

Low noise

Powerful suction for maximum efficiency

Anti-static chain prevents static shocks

Ametek high quality vacuum motor for maximum reliability

#### **Key features**



Multi Purpose

For wet vacuum of hard floors or The 1250W motor ensures a dry vacuum of hard floors, carpets high powered pickup whilst only and upholstery.



emitting 60 decibels.



Commercial Design ensures long life.



Unique Float Design

Robust wheels ensure maximum Effective for pick-up when high stability and manoeuvrability, foaming chemicals have been whilst the stainless steel body used, due to unique float design.

## Consumables

Code	Name
SBI7181 Steel 'S' tube (2 pieces)	
SBI7185	40mm Squeegee Tool
SBI7182 40mm Floor Brush	
SBI7184 40mm Round Dusting Brush	
SBI7183 40mm Crevice Tool	
ESG6010510 Hose Assembly	

# **Technical Specifications**

	V-WD30
Voltage (V)	230
Max Power Rating (W)	1250
Rated Power (W)	1100
Container Capacity (I)	22
Sound Level (dB)	60
Vacuum (Mbar)	235
Power Cable (m)	10
Airflow Rating (L/sec)	71
Useful Dust Bag Capacity (I)	7
Weight (kg)	10.9
Dimensions (mm)	410x410x760

# **WD60**

# 55l Wet & Dry Vacuum Cleaner

The WD60 is a high performance wet and dry vacuum cleaner with a 55 Litre capacity.

This powerful, dual motor, high suction vacuum, combined with wide floor nozzle always ensures superior performance and outstanding results.

Ideal for use in wet cleaning and stripping applications that require more power.

#### √ Use as a wet or dry vacuum cleaner

Simply remove the dry vacuum filter and use as a wet vacuum

#### ✓ Simple, but built to last

Designed to sustain years of demanding use.

#### √ Easy to Use

Simple to use double switch and intuitive design.

0000	200011
V-WD60	55I We

et & Dry Vacuum Cleaner

#### **Benefits**

Commercial Stainless Steel housing Full accessory kit

Wet and dry pick up

Twin motors for unrivalled performance

Anti-static chain prevents static shocks

Quick & simple cleaning and maintenance Ametek high quality vacuum motor

# **Key features**



For wet vacuum of hard floors or The dry vacuum of hard floors, carpets can be used separately or and upholstery.



**Powerful Twin Motors** powerful twin motors simultaneously, allowing operator to control suction.



Dump Hose Dump hose for easy emptying once the tank is full.



2 YEAR

WARRANTY

TWIN MOTOR

**PUSH** HANDLE

WET

& DRY VACUUM

C

**EANERS** 

Optional Fixed Nozzle Tool

The push handle and fixed nozzle allow users to pick up large volumes of water effectively.

#### Consumables

	Code	Name
	SBI7181	Steel 'S' tube (2 pieces)
	SBI7185	40mm Squeegee Tool
	SBI7182	40mm Floor Brush
	SBI7184	40mm Round Dusting Brush
	SBI7183	40mm Crevice Tool
	FSG6010510	Hose Assembly
	SBI7151	32mm Dump Hose
	AYN1004	Fixed Nozzle Assembly

#### **Technical Specifications**

·	
	V-WD60
Voltage (V)	230
Max Power Rating (W)	2300
Rated Power (W)	1900
Container Capacity (I)	55
Sound Level (dB)	65
Vacuum (Mbar)	260
Power Cable (m)	10
Airflow Rating (I/sec)	100
Useful Dust Bag Capacity (I)	19
Weight (kg)	20
Dimensions (mm)	610x520x920

61

# **HOT WATER EXTRACTOR**

70l Wet Vacuum & Extractor



2 YEAR

The Victor Hot Water Extractor uses hot water and detergent with high pressure to clean carpets. The Unrivalled cleaning action combines the hot temperature of the water combined with the detergent and pressure penetrates deep into carpet

This professional got water extractor features wet vacuum, extractor with hot water and double stage motors. This machine provides efficient, high temperature cleaning, thanks to its 90°C

The Victor Hot water Extractor is ideal for deeply embedded dirt and grime in carpet fibres. Dirt is broken down by hot water faster, making it easier to be picked up by the equipment's powerful vacuum.

#### √ 90°C thermostat

Hot water is more effective at breaking down dirt.

#### √ Simple, but built to last

Designed to sustain years of demanding use.

Simple to use design

Code	Description	
V-H9880 '	70l Hot Water Extractor	

#### **Benefits**

**VACUUM CLEANERS** 

DRY

Ø

WET

Durable construction

90°C thermostat allows high cleaning temperatures Double stage motors

#### **Key features**







75I Capacity The huge 75l recovery tank and 25l solution tank means operatives can be more productive between filling or



Simple to Use Simple, easy to use control panel. This makes it incredibly easy to use safely with minimal training.

**Technical Specifications** 



**Robust Construction** The Victor Hot water Extractor has been built with commercial environments in mind. The robust construction is ideal for demanding tasks.

Consumables		
Code	Name	
KBLPAV40D	Complete Floor Tool	
M40DEX Complete Flexible hose 2.5m		
KBLPOL40D	Upholstery Nozzle	
ATPC2S40D	Chrome Suction Tube "S"	
ALP40D	Crevice Tool	
APN40D Round Brush		
ASP40D	Hard floor nozzle	
FASC3M Anti Foam Filter		

·	
	V-H9880
Voltage (V)	220-240V/50-60Hz
Max Power Rating (W)	2x1100W - 1200W max
Motors	2xDouble Stage Bypass
Pump (W)	48
Recovery Tank (I)	75
Solution Tank (I)	25
Waterlift	2300 mm H2O
Airflow	350 m3/h
Power Cable (m)	10
Max Thermostat Temp	90°C
Weight (kg)	26
Dimensions (mm)	570 x 570 x h1010

# STEAM EXTRACTOR

### 22l Wet Vacuum & Extractor



2 YEAR

The Victor Steam Extractor is a high quality, robust, commercial grade machine which creates steam up to 150 degrees.

Using steam for cleaning operations is a simple, inexpensive, hygienic and environmentally friendly system. The high temperature allows removal of a variety of dirt whilst sanitising

Ideal for bacteria and fungi elimination from all types of hard surfaces, carpet and fabric.

The Victor Steam Extractor is quick and easy to use, to ensure the best cleaning performance.

#### √ Creates upto 150°C Steam

The high performance boiler ensures the best quality steam

#### √ Simple, but built to last

Designed to sustain years of demanding use.

#### √ Easy to Use

Simple to use and intuitive design.

Joue	Description
/-H9860	Steam Extractor

#### **Benefits**

High performance boiler Heavy duty construction Acts as a wet & dry vacuum Quiet in operation - only 60dB



#### **Key features**



150°C Steam degrees

Complete Hose handle VAP+ASP mt.2

Hard Floor Tool L300 steam and suction

Suction steam extension tube

Round Brush PBT

Wet Tool L300 steam and suction

Carpet Tool L300 steam and suction

Consumables

Code KTF2MCSVAPA

ATPVAPA

AIP300LVAPA

AIP300LVAPA

AIT300LVAPA

APSPBTVAP



**Robust Construction** The high quality boiler creates The Victor Steam Extractor has sanitising steam of upto 150 been designs to exceed the expectations of a demanding commercial environment.

**Versatile Accessories** 



The Victor Steam Extractor a wide range of tasks



The Victor Steam Extractor is supplied with a range of features on-board storage which accessories making it suitable for can be used for transporting a range of cleaning supplies.

## **Technical Specifications**

	V-H9860
Voltage (V)	220-240V/50-60Hz
Motors	1xSingle Stage Bypass
Rated Power (W)	1900
Container Capacity (I)	22
Sound Level (dB)	60
Quantity of steam delivery	4kg / h
Time to reach temperature	4 min
Work pressure	5 bar (500kPa)
Water Tank	2L
Solution Tank	1L
Steam temperature in the boiler	150°C
Air flow	260 m3/h
Boiler volume	2.5L
Power Cable (m)	5
Weight (kg)	20
Dimensions (mm)	610x520x920

# **CX7 SPRAY EXTRACTOR**

# Carpet and upholstery cleaner



2 YEAR

WADDANTY

The CX7 spray extraction cleaner has been designed for vacuuming, washing and drying all types of carpets and textiles.

Suitable for a range of cleaning activities including furniture, upholstery and spot cleaning of carpets.

Extensive cleaning range due to 10 metre cable + 2.5m hose.

Easy to use with a removable tank and fluid connectors enables quick filling of solution

Robust wheels ensure maximum balance of stability and manoeuvrability

Easily portable due to central carry handle and lightweight (only

#### √ Powerful 1250W Motor

Ideal for high performance and consistent results

#### √ Simple, but built to last

Designed to sustain years of demanding use.

#### ✓ Easy to Use

Simple to use single switch and intuitive design.

Code	Description
V-H2102	CX7 Spray extraction cleaner

#### **Benefits**

CLEANERS

CARPET

Suitable for all textiles and carpets Robust steel housing ensures long life Extensive 10m cleaning range

#### **Key features**



Ideal for large Carpeted areas Extensive 10m reach and ideal for spot cleaning on carpet.

Consumables



**High Capacity** 7l detergent and 11l recovery capacity, durable stainless-steel



Versatile textiles as well as a dry vacuum 10KG

Technical Specifications



**Lightweight & Portable** Can be used for washing and Easily portable due to central drying all types of carpets and carry handle and lightweight at

Code	Name
FSC6010632	Flexible Hose 2.5m
FSC2511485	Integrated Suction Tube 0.5m
FSC6010692	Spray-ex Floor Tool 36mm
FSC6010695	Hand Spray-ex Tool 36mm

recrimical Specification	1115
	V-H2102
Voltage (V)	230
Max Power Rating (W)	1250
Airflow Rating (I/sec)	71
Capacity (I)	22
Dirty Water Capacity (I)	11
Sound Level (dB)	60
Solution Tank Capacity (I)	7
Vacuum (Mbar)	235
Power Cable (m)	10
Rated Power (W)	1100
Pressure (bar)	4
Weight (kg)	10
Dimensions (mm)	590 x 390 x 490

# **SL8000**

## Vacuumated Steam Cleaner

The Victor SL8000 Steam Cleaner and HEPA Vacuum offers superb portable steam cleaning with vacuumation for complete dirt and water removal leaving surfaces clean, dry and sanitised.

Equipped with a HEPA filter, the SL8000 eliminates pollen, pet hair, dust mites and tobacco smoke.

The integrated vacuum provides an additional cleaning capability and surfaces can be left dry and dirt free. Steam helps remove dirt and grease from surfaces without the use of cleaning agents

Steam is released at 145°C degrees which provides a sanitising effect on the surface it cleans.

Features 3 suction power settings, allowing the operator to select noise and power level.

Ideal solution for cleaning of a wide variety of areas including washrooms, kitchens, carpets and upholstery

#### √ Simple, but built to last

Designed to sustain years of demanding use.

#### ✓ Easy to Use

Simple to use single switch and intuitive design.

Code	Description
V-H9810	SL8000 Vacuumated Steam Cleaner

#### **Benefits**

HEPA Vacuum & Steam Cleaner

Helps reduces spread of viral infection

Removes dirt and grease

Allows user to select appropriate suction power from 3 settings

145°C steam for sanitising surfaces and effective dirt & grease removal

Almost unlimited runtime due to continuous fill feature

#### **Key features**



Integrated Vacuum dry and dirt free.

FSC12233 Filler Bottle



**HEPA Filter** Provides an additional cleaning Eliminates pollen, pet hair, dust capability and surfaces can be left mites and tobacco smoke from everyday use.



**Multi-Functional** grade Wet & Dry Vacuum and Steam Cleaner.



2 YEAR

Continuous High Performance Can be used as a commercial Can be used for an almost unlimited time due to the continuous fill feature, without having to depressurise the boiler.

Consur	mables	Technical Specifications	
Code	Name		V-H9810
FSC271308	HEPA Filter	Voltage (V)	230
FSC73069	Window Wiper 130mm	Motor Power (W)	1100
FSC73070	Window Wiper 200mm	Vacuum (Mbar)	235
FSC73071	Window Wiper 300mm	Boiler Power (W)	1500
FSC73076	Multi-purpose Textile Tool	Steam Pressure (bar)	58
FSC73078	Nozzle c/w Small Nylon Brush	Boiler Capacity (I)	1.8
FSC73079	Small Nylon Brush	Dirt Recovery Tank (I)	2.5
FSC73080	Small Stainless Steel Brush	Cable Length (m)	5.2
FSC73081	Small Brass Brush	Water Refilling Tank (I)	1.5
FSC73082	Soft Brush For Textile Tool	Dimensions (mm)	300mm x 340mm 460mm
FSC73090	Full Brush Kit	. ,	

# **SX15**

# Commercial Carpet Cleaner

The SX15 offers the capability to deep clean carpets and using the optional tool kit the ability to clean smaller areas, stairs and upholstery

Whether its a large or small area, stairs or upholstery the SXI5 is the machine to provide a deep clean. Utilising the power of the solution spray that is agitated deep into the carpet pile by the chevron bristled brush, the SX15 cleans carpets effectively.

The powerful vacuum then removes the solution and dirt from the carpet depositing it into the recovery tank for easy emptying.

The SX15 is easy to keep clean through the removable brush and filter inside the solution tank ensuring your SX15 is kept in optimal condition. The large rear wheels make the machine simple to move either up and down stairs or across uneven surfaces so that where necessary it can be moved easily between buildings. The fold over handle enables the machine to be stored

The SXI5 can be fitted with a hose and wand or upholstery tool for cleaning smaller areas, stairs and upholstery. This option maximises the flexibility of the SX15.

The SX15 has separate solution and recovery tanks to avoid the leaking of dirty recovered material into the clean solution associated with a membrane type tank system. The recovery tank can be easily removed for emptying.

The brush on the SX15 is easy to remove and replace to allow quick cleaning of both the brush and its housing to ensure great results and long machine

The SX-15 has a dump hose fitted to the back that allows complete emptying of the solution tank. The solution dump hose also doubles as a solution leve

#### √ Simple, but built to last

Designed to sustain years of demanding use

#### √ Fasy to Use

Simple to use single switch and intuitive design.

Code	Description
V-SX15	SX15 Walk Behind Carpet Cleaner

230

1000

1000

3.4/50

## **Key features**



Motor Power (W)

Brush Speed (rpm) Brush Length (mm) Operating Down Force (kg)

Noise Level (dBA

Pump (bar / psi) Weight (ka)

Drying Width (mm)

Solution Tank Capacity (litres) Recovery Tank Capacity (litres)

The Sx15 features a fold over shelf storage or transportation.

**Technical Specifications** 



#### **Deep Agitating Brush**

The SX15's agitating brush provides handle, making is easy for under deeper carpet cleaning by agitating deep into the carpet pile with the chevron bristled brush



The SX15 offers the ability to deep with it's additional wand.



2 YEAR

WADDANTY

#### **Individually Controlled**

All of the SX15's functions are spot clean carpets and upholstery individually controlled to give operators total freedom to clean effectively in any situation.

# **CLEANING INNOVATION**

Bespoke products for modern cleaning challenges



We look at the same problems but think differently. We don't pretend to know the answers, but we do have over 75 years experience in how to find them.

The Victor approach to developing products is unique - we aim to bring fresh perspectives to problems and identify new solutions.

We start with ideas that come about through a systematic and professional process involving close observation, insightful listening and thorough analysis of how tasks are carried out and the objectives and outcomes required.

Though our involvement with the cleaning industry and talking to customers, we come across some problems which may not be solved with a mighty cleaning machine, but with a simpler approach.

#### Our latest innovations include:





The RiserShine was created as an effective alternative to expensive, complex, powered escalator cleaning machines. The RiserShine helps ensure escalators are clean not only prolongs their life and reduces maintenance bills, but also projects a positive image for your facility.


# SlipStop.



Leaks in public spaces can create numerous health and safety risks for both visitors and staff. These risks not only include slips, trips and falls for the public, but also put businesses and organisations at risk of liability claims. We created SlipStop®, a high visibility, wide funnel leak collector to eliminate slips within public areas.

# **Our R&D team want to fix** your cleaning challenge

Have you got a specific cleaning challenge that you cannot find a viable solution for? Our in-house research & development department is on hand to help develop products that solve your problem for you.



**67** 



# **Escalator Cleaning Tool**

The RiserShine is a breakthrough in escalator cleaning tasks. This simple to use, ergonomic tool helps to clean and maintain escalator risers quickly, effectively and at a reduced cost compared to powered

Ensuring escalators are clean not only prolongs their life and reduces maintenance bills, but also projects a positive image for your facility.

The RiserShine is easy to use for responsive cleaning tasks, such as spills - reducing slips and escalator downtime.

No electrical power is required to get spotless escalators, and only a single operative is needed.

Made with strong but lightweight aluminium and composite materials - significantly reducing user fatigue.

For best results we highly recommend Foaming Cleaner – Tanex Performa Concentrate

#### RiserShine Starter Kit Includes:

- ✓ 2 cassettes
- ✓ Aluminium head
- ✓ Composite Handle
- ✓ Quadstretch cloths (10pk)






**ESCALATOR CLEANING TOOLS** 

41-537 RiserShine Starter Kit Blue (Otis)

41-522 RiserShine Starter Kit Black (Kone)

41-524 RiserShine Starter Kit Red (Schindler)

41-539 RiserShine Starter Kit Grey (Thyssenkrupp)



#### **Key Benefits**



#### Reduce Cost

Much lower purchase cost than specialist machinery. QuadStretch Woven Cloth lasts over 1,000 washes reducing consumable cost. Much faster than using a machine or 'hand and scourer'. Only a single operative required which maximises productivity.



#### Ease of Use

Simple to use – no need for extensive training. Does not require electrical power. Match pad profile to riser brand to ensure efficient clean. Easy to store and transport.



#### Reduce Risk

Made with strong but lightweight aluminium and composite materials - minimises strain injury in use. Foaming cleaner is applied to cloth - keeps cleaning fluid away from escalator mechanism. Enables quick response







1. Easy to remove cloth allows user to quickly change if required

2. QuadStretch Woven Cloth, especially designed to conform with riser profiles for optimum cleaning performance

3. Pad snaps together easily to ensure perfect match for all types of riser profiles.

4. Stiff bristles to remove the toughest build up and reach the intricate tread corners

5. Rubber strip prevents aluminium head from damaging the treads

5. Reinforced handle does not bend or damage, and ensures pressure is transferred to riser surface.

Consumabl	es

Code Code Description Replacement Cassette - Black Replacement Cassette - Red For Kone escalators For Schindler escalators. Replacement Cassette - Blue Replacement Cassette - Grey For Otis escalators. For Thyssenkrupp escalators Specialist cloth designed to Safety Sign - Printed closed for stretch and conform to the 41-511

# SlipStop®

# THE WORLD'S IST COMBINED LEAK COLLECTION UNIT & HAZARD SIGN



# **SLIPSTOP® LEAK COLLECTOR**

Hazard sign and leak collection unit in one



Leaks in public spaces can create numerous health and safety risks for both visitors and staff. These risks not only include slips, trips and falls for the public, it also puts businesses and organisations at risk of liability claims.

The SlipStop® range is a wide funnel leak collector, designed to minimise slip hazards, by collecting water from leaks efficiently, whilst acting as a high visibility wet floor sign.

The leaking water is funnelled into the SlipStop® collection bucket, which contains the SlipStop® Absorb Liner, absorbing the water and removing the hazard.

SlipStop not only manages risks more effectively, but provides a much tidier and more professional appearance.

- √ Safely collects leaks to prevent slips
- High visibility design prevents trips

#### Available In







SlipStop® Cone The SlipStop Cone can also be stacked for efficient storage



#### Key features



Super Absorbent Collect Liner

absorbed, removing the hazard.

Code

46-038

Easy store Each Liner contains an absorbent Both SlipStop® designs are easy pad with capacity of 2.5l. When to store, 65 packs flat, but takes water reaches the liner, it becomes seconds to assemble. SlipStop® Cone is stackable - making both designs easy to store when not in



**Superior Collection** Wide funnel design efficiently collects leaks without water



**High Visibility** 

Contemporary design and high visibility helps improve visitor safety and maximises your professional image

The	Cli	へて+	$\sim$	$D \sim 1$	201
1110	.DII	וכ.ט	()()	Rai	1016



Description

Includes SlipStop cone, collect bucket and 20 liners.



Code

Supplied on roll of 20 liners, each with integral absorbent pad.

Description



46-023

Includes collapsible SlipStop 65, funnel, collect bucket and



18l SlipStop® in durable

# **JANITORIAL TROLLEYS**





# THE DIFFERENCE IS IN THE DETAILS

The Victor trolley range has been developed with the end user in mind. Our modular design ensures almost infinite combinations which allows a completely bespoke trolley that can manage any commercial cleaning environment.



# JANCART 0.4 Code: OP0400EN

Our simple mop & bin design is the ideal solution for users who predominantly need to perform mopping and waste or laundry collection. The colour coded, double mop bucket ensure maximum hygiene.

**MODULAR JANITORIAL TROLLEYS** 

WEIGHT: 20 kg
DIMENSIONS: 920x710xh1030 mm

Code Description
OPO400EN JanCart 0.4

JANITORIAL TROLLEYS



#### Standard Configuration Elements

	Code	Name	QTY
	OPK0002N	Base kit complete with caps and plates	1
	OPABA80N	Dovetail cover for base	4
	MO201RU3	10x47 mm metal wheels ø100mm	4
	OPK05020	Support kit in anodized aluminium 810 mm	4
	OPK0524N	Half top kit in complete with caps and plates	1
	OPA0066S	Bag lock 120l (1 pc) - grey	2
	OPK00120	Bag anchoring kit 6pcs	1
	OPK0511N	Push handle kit in anodized aluminium	1
	OPK05270	Wringer support in painted metal ø20mm	1
	S0100201NR	Mop wringer - black	1
	S0201502N	15I bucket with red handle	1
	S0201503N	15I bucket with blue handle	1
	OPA0099NX	Double hook ABS danger sign holder	1
	OPA0082NX	Handle holder with non-slip rubber roller	1

# **JANCART 0.6-2**

Code: OP0600EN

With the addition of collection buckets, storage trays, the simple configuration allows the user to perform a variety of tasks. The colour coded elements ensure cleaning protocols can be met at all times.

WEIGHT: 21 kg
DIMENSIONS: 1270x710xh1220 mm

OPO600EN JanCart 0.6-2



#### Standard Configuration Elements

Code	Name	QTY
OPK0002N	Base kit complete with caps and plates	1
OPABA80N	Dovetail cover for base	2
MO201RU3	10x47 mm metal wheels ø100mm	4
OPK0516N	Basic kit bag holder complete with plug and caps	1
OPK05020	Support kit in anodized aluminium 810 mm	4
OPK0506N	Double Top Kit complete with caps and plates	1
OPA0066S	Bag lock 120I (1 pc)	2
OPK00120	Bag anchoring kit 6pcs	1
OPK0511N	Push handle kit in anodised aluminium	2
OPK0007N	Shelf 32x50 cm	1
OPK0013NR	7l bucket with red handle	1
OPK0013NB	7l bucket with blue handle	1
OPA0076N	Drawer 10I 45x29xh8.5 cm 1	1
OPA0070S	Drawer holder support in ABS	8
OPK05270	Wringer support in painted metal ø20mm 1	1
S0100201NR	Mop wringer - black	1
S0201502N	15I bucket with red handle	1
S0201503N	15I bucket with blue handle	1
OPA0099NX	Double hook ABS danger sign holder - black	1
OPA0082NX	Handle holder in ABS with non-slip rubber roller	1

# **JANCART 4.1**

Code: OP4100EN

The JanCart 4.1 features double lockable doors, collection bin and transparent document / tablet holder.

WEIGHT: 31 kg

DIMENSIONS: 1475x620xh1070 mm

Code Description
OP4100EN JanCart 4.1



#### Standard Configuration Elements

Code	Name	QTY
OPK0003N	Base kit complete with caps and plates	1
OPABA80N	Dovetail cover for base	2
OPADX80N	Dovetail cover for side panel - right and left	6
OPA00740	Silent Wheel ø125mm in plastic	4
OPA00320	Bumper ø155mm for wheel ø125 mm	4
OPK0516N	Basic kit bag holder complete with plug and caps	1
OPKC515SN	Bag support 120l complete with lateral support and bag locking rings	1
OPK05020	Support kit in anodised aluminium 810 mm	6
OPK0004N	Lateral infill panel with dovetails	4
OPK0005NX	Central drawer guide panel - black	2
OPKSX03NX	Rear closing panel in ABS - black	2
OPKDX22NX	Right ABS key lock door - black	1
OPKSX22NX	Left ABS key lock door - black	1
OPK0506N	Double Top Kit complete with caps and plates	1
OPK0511N	Push handle kit in anodised aluminium complete with supports	1
OPK0010N	Cushioned cover in black PP	2
OPK0021NX	Cushioned cover with transparent document or tablet holder - black	1
OPK0007N	Shelf 32x50 cm	2
OPA0099NX	Double hook ABS danger sign holder - black	1
OPA0082NX	Handle holder with non-slip rubber roller - black	1

# **JANCART 0.5**

Code: OP0500EN

The JanCart 0.5 features and single lockable door, collection bin, transparent document / tablet holder and a colour coded, double mopping system.

WEIGHT: 32 kg

**DIMENSIONS:** 1270x710xh1030 mm

Code Description
OP0500EN JanCart 0.5



#### Standard Configuration Elements

Code	Name	QTY
OPK0002N	Base kit complete with caps and plates	1
OPABA80N	Dovetail cover for base	2
OPADX80N	Dovetail cover for side panel - right and left	8
MO201RU3	10x47 mm metal wheels ø100mm	4
OPK0516N	Basic kit bag holder complete with plug and caps	1
OPK05020	Support kit in anodised aluminium 810 mm	4
OPKSX03NX	Rear closing panel in ABS - black	1
OPK0004N	Lateral infill panel with dovetails	4
OPKSX22NX	Left ABS key lock door - black	1
OPK0506N	Double Top Kit complete with caps and plates	1
OPA0066S	Bag lock 120l (1 pc)	2
OPK00120	Bag anchoring kit 6pcs 1	1
OPK0511N	Push handle kit complete with supports	2
OPK0010N	Cushioned cover in black PP	1
OPK0021NX	Transparent document or tablet holder	1
OPK0007N	Shelf 32x50 cm	1
OPK0013NR	7l bucket with red handle	1
OPK0013NB	7l bucket with blue handle	1
OPK0013NY	7I bucket with yellow handle	1
OPK05270	Mop Wringer support in painted metal ø20mm	1
S0100201NR	Mop wringer in black	1
S0201502N	15I bucket with red handle	1
S0201503N	15I bucket with blue handle	1
OPA0099NX	Double hook ABS danger sign holder	1
OPA0082NX	Handle holder with non-slip rubber roller - black	1

# JANITORIAL TROLLEYS

# **MODULAR JANITORIAL TROLLEYS**



# The Floorcare People

# **JANCART 11.3**

Code: OP1130EN

The JanCart 11.3 features a plasticised collection bin, 2 colour coded buckets and 2 larger buckets.

WEIGHT: 22 kg

**DIMENSIONS:** 920x620xh1190 mm

 Code
 Description
 Price

 OP1130EN
 JanCart 11.3
 £549



Standard	Configuration Elements	
Code	Name	QTY
OPK0002N	Base kit complete with caps and plates	1
OPABA80N	A80N Dovetail cover for base	
OPADX80N OPASX80N Dovetail cover for side panel - right and left		
OPA00740	Silent Wheel ø125mm in plastic	4
OPA00320	Bumper ø155mm for wheel ø125 mm in PP	4
OPK05020	Support kit in anodised aluminium 810 mm	4
OPK0524N	Half Top kit complete with caps and plates	1
OPK1117S	117S 2x70l bag support kit	
OPK00120	Bag anchoring kit 6pcs	1
OPK0533N	Central outer panel	2
OPK0511N	Push handle kit complete with supports	1
OPK0010N	Cushioned cover in black	1
OPASX86S	Revolving tray support in painted metal - left	1
OPADX86S	Revolving tray support in painted metal - right	1
S0202001RN	Tray 31 x 22 x h12 cm - red handle	2
OPA0C88S	Support for 22I bucket in painted metal - upper	1
OPA0089S	Support for 22I bucket in painted metal - lower	1
V13500	Disinfection bucket 22I	2
OPA0099NX	Double hook ABS danger sign holder - black	1
OPA0082NX	Handle holder in ABS with non-slip rubber roller	1

# **JANCART 11.1**

Code: OP1110EN

The JanCart 11.1 features a single lockable door, transparent documents / tablet holder, plasticised collection bin, 2 colour coded buckets and 2 larger buckets.

WEIGHT: 33 kg

**DIMENSIONS:** 1210x620xh1070 mm

OPIIIOEN	JanCart 111			
Code	Description			



Standard Configuration Elements			
Code	Name	QTY	
OPK0003N	Base kit complete with caps and plates	1	
OPABA80N	Dovetail cover for base	2	
OPADX80N OPASX80N	Dovetail cover for side panels - right and left	2	
OPA00740	Silent Wheel ø125mm in plastic	4	
OPA00320	Ø155mm bumper for ø125mm wheel - grey	4	
OPK0516N	Basic kit bag holder complete with plug and caps	1	
OPKC515SN	Bag support 120l complete with lateral support and bag locking rings	1	
OPK05020	Support kit in anodised aluminium 810 mm	4	
OPK0004N	Lateral infill panel with dovetails	4	
OPKSX03NX	Rear closing panel in ABS - black	1	
OPKSX22NX	Left ABS key lock door - black	1	
OPK0524N	Half Top kit complete with caps and plates	1	
OPK0010N	Cushioned cover in black PP	1	
OPK0021NX	Transparent document or tablet holder - black	1	
OPK0007N	Shelf in PP 32x50cm	1	
OPK0013NR	7l bucket with red handle	1	
OPK0013NB	7I bucket with blue handle	1	
OPK0013NY	7l bucket with yellow handle	1	
OPA0C88S	Support for 22I bucket in painted metal	1	
OPA0089S	Support for 22I bucket in painted metal - lower	1	
V13500	Disinfection bucket 22I	2	
OPA0099NX	Double hook ABS danger sign holder - black	1	
OPA0082NX	Handle holder with non-slip rubber roller - black	1	

Need some help? Call us today: +44 (0)121 706 5771

# **JANCART 11.5**

Code: OP1150EN

The JanCart 11.5 features double lockable doors, transparent document / tablet holder, 3 colour coded buckets, 2 larger buckets and lockable lid.

WEIGHT: 40 kg

DIMENSIONS: 1300x620xh1070 mm

	JanCart 115
Code	Description



#### Standard Configuration Elements

	Code	Name	QTY
	OPK0003N	Base kit complete with caps and plates	1
	OPABA80N	Dovetail cover in PP for base	4
	OPADX80N OPASX80N	Dovetail escutcheon for side panel - right and left	4
	OPA00740	Silent Wheel ø125mm in plastic	4
	OPA00320	Bumper ø155mm for wheel ø125 mm	4
	OPK05020	Support kit in anodised aluminium 810 mm	6
	OPK0004N	Lateral infill panel with dovetails	4
	OPK0005NX	Central drawer guide panel - black	2
	OPKSX03NX	Rear closing panel in ABS - black	2
	OPKDX22NX	Right ABS key lock door - black	1
	OPKSX22NX	Left ABS key lock door - black	1
	OPK0506N	Double Top Kit complete with caps and plates	1
	OPK00120	Bag anchoring kit 6pcs	1
	OPA0066S	Bag lock 120I (1 pc) - grey	2
	OPK0511N	Push handle kit complete with supports	2
	OPK0010N	Cushioned cover in black PP	1
	OPK0021NX	Transparent document or tablet holder - black	1
	OPK0007N	Shelf 32x50cm	1
	OPK0013NR	7l bucket with red handle	1
	OPK0013NB	7l bucket in PP - blue handle	1
	OPK0013NY	7l bucket with yellow handle	1
	OPA0076N	Drawer 10I 45x29xh8.5 cm	1
	OPA0C88S	Support for 22l bucket in painted metal - upper	1
	OPA0089S	Support for 22l bucket in painted metal - lower	1
	V13500	Disinfection bucket 22l	2
	OPA0099NX	Double hook ABS danger sign holder - black	1
	OPA0082NX	Handle holder with non-slip rubber roller - black	1

# **JANCART FULLY BESPOKE**

If our range of standard configurations don't fit your needs, all of our janitorial trolleys can be tailored to your specification, or you can create one from scratch using the elements on the next few pages.

Simply speak to a member of our team to help create a completely bespoke solution.



-		. 0
	Code	Description
Wheels		
	S020180G	Silent Wheel, plastic, Ø 80mm



PA00740F Silent Wheel, plastic, Ø 125mm with screw Ø 10 MA with brake



OPA00740 Silent Wheel, plastic, Ø 125mm with screw ø 10 MA



PA0100 Rubber wheel for outdoor Ø 150 mm with screw ø 10 MA



MO201RU3 Wheel, metal, Ø 100 i screw ø 10 MA

Wheel, metal, Ø 100 mm with



DPA0090G Wheel for thick carpets Ø 125 mm with screw Ø 10 MA

HIIII WILLI SCIEW & TO MA



K0511N

Aluminium pushing handle with clips

**74** 

## **BUILD YOUR OWN TROLLEY**

# Full list of components



	0 1	B	<u> </u>		0 1	
	Code	Description	Price	100	Code	Description
ases				Hinged Lids	_	
	OPK0516N	Base for waste bag without wheel	£21.53		OPK0021NX	Lid with document holder , Black colour/ Transparent
	OPKC056N	Base for waste bag with Silent wheel ø 80 mm	£29.04		OPK0010N	Lid for waste bag
	OPK0002N	Base with caps and 4 plates	£65.17		OPK0011N	Lid for waste bag - With Key
10	OPK0003N	Base with caps and 6 plates	£65.17		OPA0061N	Closing top
•	OPK00C11N	Small base with 4 plates	£48.88	1	OPK1200S	Kit pedal for lid opening, complete with aluminium bar
anels				Shelves		
	OPKSX25NX	Single back closing panel	£22.31		OPK00690	Full shelf 50cm x 69 cm. Wood with metal blocking device
	OPKSX03NX	Double back closing panel	£41.79	<b>*</b>	OPK0007N	Shelf 32cm x 50cm
				Drawers & Dra	wer accessor	ies
	OPK0005NX	Central panel with sliding guides for drawers	£24.08		OPA0076N	10I Drawer 45 x 29 x 8.5 cm
	OPK0004N	Lateral panel with dovetail joints	£22.31		OPA0077N	201 Drawer 45 x 29 x 16 cm
oors						
	OPKSX22NX	Left door, full size, black with lock	£44.63	_		
Į	OPKDX22NX	Right door, full size, black with lock	£44.63		OPA0078N	40l Drawer 45 x 29 x 33 cm
	OPKSX08NX	Left door, half size with lock	£23.09	Jeffe	OPA01600	Divider 6 compartments for drawers 20/401 -
•	OPKDX08NX	Right door, half size with lock	£23.09		OPA01700	43x28xh13cm  Divider 6 compartments for drawers 101 - 43x28xh4cm
ps				-		
❤	OPK0506N	Full Size / Double Top	£37.54	1	OPA01900	Divider 6 compartments - 47x28xh4cm
	OPK0524N	Half Size / Single Top	£19.83			
ertical Supp	oorts			2	OPA0200	Pre-impregnation grid in PP for drawer 201 & 401, dimensions 32x 49cm
-	OPK05280	Aluminium brackets 450 mm	£12.04			,
	OPK05020	Aluminium brackets 810 mm	£17.85			
	OPK05295	Aluminium brackets 290 mm	£8.22	1		Pre-impregnation lid in PP for
	OPK05290	Aluminium brackets 1070 mm	£23.80	1	OPA0201	drawers 201 & 401, dimensions 32x49cm



JANITORIAL TROLLEYS



#### **FLOOR PAD GUIDE**

What floor pad is right for your floor?



## **WHITE PADS - FOR POLISHING**



Designed for polishing clean, dry floors, the Victor white polishing floor pad is perfect for producing a high gloss finish to floors.

Use dry or with a fine water mist to produce a high gloss finish.

The Victor white polishing pad is made from 100% recycled polyester fibres and water-based resins.

For use with all Victor electric rotary machines, orbital scrubbers and automatic scrubbers.

## **RED PADS - FOR REGULAR CLEANING**



Ideal for spray cleaning, the Victor red floor pad polishes and cleans at the same time.

Suitable for regular light cleaning and polishing, the red floor pad will remove light scuff marks and dirt while producing a high gloss shine.

The red Victor buffing pad is made of 100% recycled polyester fibres and waterbased resins.

For use with all Victor electric rotary machines, orbital scrubbers and automatic scrubbers.

#### **BLUE PADS - FOR PERIODIC CLEANING**



The Victor blue cleaning floor pad is perfect for scrubbing or cleaning delicate floors where you might be unsure about using the more abrasive qualities of a Green Scrubbing Pad.

The Victor blue cleaning floor pad can also be used to scrub soiled hard surface floors such as concrete when used with appropriate cleaning chemicals.

The Victor blue cleaning pad is made from polyester fibres in a semi open texture non woven fabrication. Abrasive particles are dispersed throughout and bonded to the non-woven construction with a durable adhesive.

## **GREEN PADS - FOR SCRUBBING**



Ideal for wet scrubbing tasks, the Victor green scrubbing floor pad is the perfect choice for deep cleaning or light stripping.

The green Victor scrubbing pad is made from polyester fibres along with synthetic adhesives that will not be notably affected by water or cleaners used in standard floor maintenance. The abrasives used in this product are synthetic.

## **BLACK PADS - FOR STRIPPING**



Designed for stripping floors, the Victor black stripping floor pad is perfect for heavyduty wet stripping of emulsion polish. Use with water-based floor stripping solution to remove worn and soiled floor finishes or sealers.

The black stripping pad can also be used to clean heavily soiled hard surface floors, such as concrete, when used with proper cleaning solutions.

The black Victor stripping pad is made from polyester fibres along with synthetic adhesives that will not be notably affected by water or cleaners used in standard floor maintenance. The abrasives used in this product are synthetic. This product is designed specifically for customers who want a more dense non woven pad.

#### **FLOOR CARE GUIDE**

How to care for popular floor types





#### **MARBLE**



Where it's used: Shopping centres, airports, banks, hotels, apartments, restaurants.

How to identify it: Marble can be recognised by it's high shine and reflective qualities when polished. However if there are speckles or crystal-like elements, it's more likely to be granite. Marble tends to be white, cream, black red or grey in

Cleaning Method: Regular spray cleaning using a maintainer or neutral pH detergent. White polishing pad on high speed setting or Burnisher such as a Lynx.

#### VINYL



Where it's used: Libraries, public buildings, schools, village halls, restaurants, offices, banks.

How to identify it: VCT Flooring / Vinyl Composition Floor Tiles have been a popular commercial floor covering since around 1980. Vinyl can be recognised by an embossed pattern on the surface - this embossed pattern tends to disappear once the tile is worn.

Cleaning Method: Regular spray cleaning using a maintainer or neutral pH detergent. Red pad on high speed setting or Burnisher such as a Lynx. If sealed, maintain shine with a white pad. Periodically scrub with an alkaline detergent on a standard speed machine such as a Contractor.

GUIDE

FLOORCARE



Where it's used: Schools, operating theatres, kitchens, garages, factories.

How to identify it: Resin flooring is a durable plastic surface made up of, at its most basic level, a synthetic resin and a separate hardener. Due to it's creation, resin floors will have no seams or joins. Resin floors are usually a single colour; red, green, grey.

Cleaning Method: Regular spray cleaning using a maintainer or neutral pH detergent. Red pad on high speed or Burnisher. Periodically bonnet mop with a standard speed machine and neutral pH detergent.

#### **QUARRY TILES**



Where it's used: Washrooms, toilets, kitchens, patios, entrance halls, factories.

How to identify it: Traditional quarry tiles are usually red or grey in colour and unglazed. However later, more modern options come in a variety of tints and finishes. Quarry tiles are usually 152mm x 152mm or 203mm x 203mm and 13 to 19

**Cleaning Method:** Regular spray cleaning using a maintainer or neutral pH detergent. Red pad on high speed or Burnisher. If sealed, maintain shine with a white pad. Periodically scrub with an alkaline detergent on a standard speed machine.

#### WOOD



Where it's used: Village halls, schools, restaurants, libraries.

How to identify it: Wood can be identified by it's unique markings, rather than repeating patterns usually found in laminate. Use your thumbnail to test the softness of the wood - if it leaves a mark, it's softwood. The deeper the mark, the

**Cleaning Method:** For soft wood, regular spray cleaning using a maintainer or neutral pH detergent. White polishing pad on high speed setting or Burnisher such as a Lynx. For hard wood a red pad would be more suitable.

#### IMESTONE




Where it's used: Restaurants, churches, banks, schools.

**How to identify it:** Limestone is a sedimentary rock formation which is predominantly calcium carbonate and cream in colour with a light matte sheen. Limestone tends to feel warmer than other tiles such as porcelain. Due to it being a fairly soft stone, it will build a smooth patina over time. Not usually used in high footfall areas due to it's softness.

Cleaning Method: Regularly bonnet mop using a neutral detergent with a standard speed rotary machine. Avoid using strong Alkaline or Acidic cleaning products.

#### **LINOLEUM**



**How to identify it:** Linoleum is made from natural materials, primarily linseed oil plus pine resin, ground cork dust, sawdust, and mineral fillers such as calcium carbonate, most commonly on a burlap or canvas backing. The design is not on a separate image layer, but is embedded throughout the materials, so the colour / design will remain even when heavily worn.

Cleaning Method: Regular spray cleaning using a maintainer or neutral pH detergent. For best results us a red cleaning pad on a high speed setting or Burnisher such as a Lynx. If sealed, maintain shine with a white polishing pad. Periodically scrub with an alkaline detergent on a standard speed machine.

#### SAFETY FLOORING



Where it's used: Kitchens, swimming pools, wet rooms, bathrooms, changing rooms, store rooms and clinical areas.

**How to identify it:** Composed of vinyl, silicon carbide, quartz and aluminium oxides to give it a non-slip finish. Safety flooring is usually a single colour (Red, Blue, Green, Grey, Cream) with a glitter like fleck.

**How to care for it:** Regularly clean with a Hyperglide 350. The contra-rotating brushes are ideal for cleaning between the floor's non-slip properties. Periodically scrub using a standard speed rotary machine and an alkaline or citrus based cleaning solution.

#### PAINTED CONCRETE



Where it's used: Garages, multi-storey car parks, factories, warehouses.

How to identify it: Painted concrete has a monolithic appearance. Unpainted concrete is usually a matte grey colour. Concrete floors are usually painted to make them look better, make them easier to clean or highlight different areas. Painted concrete floors are usually a glossy, single colour such as red, blue or grey.

Cleaning Method: Scrub using an alkaline or citrus based cleaner / degreaser with a scrubber drier or standard speed rotary machine.

#### GRANWOOD



Where it's used: Sports halls, schools, offices, factories, laboratories, community centres and village halls.

How to identify it: A popular choice in sports halls, Granwood flooring consists of cement, sawdust, and linseed oil compressed into a block shape. This flooring has the appearance of wood but feels like smooth concrete.

Cleaning Method: Spray clean using a maintainer or neutral pH detergent. Red pad on high speed or Burnisher. If sealed, maintain shine with a white pad.

Notes	The Floorcare Peop

Need some help? Call us today: +44 (0)121 706 5771

#### **TERMS & CONDITIONS**



Interpretation
 The definitions and rules of interpretation in this condition apply in these

Business Day: a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business, Buyer: the person, firm or company who purchases the Goods from the Company; Company; IIC Products Ltd. T/A Victor Floorcare; Contract any contract between the Company and the Buyer for the sale and

Contract any contract between the Company and the Buyer for the sale and purchase of the Coods;
Delivery Point: the place where delivery of the Goods is to take place under condition 4; Goods: any goods agreed in the Contract to be supplied to the Buyer by the Company (including any part(s) of them); Limit of indemnity.
Currently the maximum amount of £5,000,000 for all occurrences during any one period of insurance; VAT: value added tax chargeable under English law for the time being and any similar additional tax; Reference to a law is reference to it as it is in force for the time being taking account of any amendment, extension, application or re-enactment and includes any subordinate legislation for the time being in force made under it. Words in the singular include the plural and in the plural andicube the singular. Reference to one gender includes reference to the other. Condition headings do not affect the interpretation of these conditions.

2. Application of Terms

2.1 Subject to any variation under condition 2.3 the Contract shall be on these conditions to the exclusion of all other terms and conditions (including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order, specification or other document). 22 No terms or conditions endorsed on, delivered with or contained in the Buyer's purchase order, confirmation of order, specification or other

document shall form part of the Contract as a result of such document being

occument snail form part of the Contract as a result of such document being referred to in the Contract.

2.3 These conditions apply to all the Company's sales and any variation to these conditions and representations about the Goods shall have no effect these conditions and representations about the Goods shall have no effect unless expressly agreed in writing and signed by a director of the Company. The Company's sales representatives have no authority to accept, vary or amend any of these conditions. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this condition shall exclude or limit the Company's liability for fraudulent misrepresentation. 2.4 Each order or acceptance of a quotation for Goods by the Buyer from the Company shall be deemed to be an offer by the Buyer to buy Goods subject to these conditions.

to these conditions.

25 No order placed by the Buyer shall be deemed to be accepted by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement of order is issued by the Company until a written acknowledgement or order is issued by the Company until a written acknowledgement or order is issued by the Company until a written acknowledgement or order is issued by the Company until a written acknowledgement or order is issued by the Company until a written acknowledgement or order is issued by the company until a written acknowledgement or order is issued by the company until a written acknowledgement 2.5 No order piaced by the Buyer shall be deemed to be accepted by the Company until a written acknowledgement of order is issued by the Company or (if earlier) the Company delivers the Goods to the Buyer. 2.6 The Buyer shall ensure that the terms of its order and any applicable

specification are complete and accurate.

27 Any quotation is given on the basis that no Contract shall come into existence until the Company despatches an acknowledgement of order to the Buyer. Any quotation is valid for the period set out on the quotation or, in the absence thereof for 30 days, provided that the Company has not previously

3. Description
3.1 The quantity and description of the Goods shall be as set out in the

3.1 The quantity and description of the Goods shall be as set out in the Company's quotation or acknowledgement of order. 3.2 All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract and this is not a sale by sample.

4. Delivery 4. Delivery 4. Delivery 6. The Coop and 5. Delivery 6. Delivery 6.

estimate and time for delivery shall not be made of the essence by notice. If no dates are specified, delivery shall be within a reasonable time.

4.3 Subject to the other provisions of these conditions the Company shall not be liable for any direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and similar loss), costs, damages, charges or expenses caused directly or indirectly by any delay in the delivery of the Goods (even if caused by the Company's pedigence), nor shall any delay entitle the Buyer to terminate or rescind the Contract unless such delay exceeds three months.

4.4 if for any reason the Buyer fails to accept delivery of any of the Goods, or the Company is unable to deliver the Goods on time because the Buyer has the Company is unable to deliver the Goods on time because the Buyer has not provided appropriate instructions, documents, licence or authorisations: (a) risk in the Goods shall pass to the Buyer (including for loss or damage caused by the Company's negligence); and (b) the Goods shall be deemed to have been delivered; or (c) the Company may store the Goods until delivery, whereupon the Buyer shall be liable for all related costs and expenses (including, without limitation, storage and insurance).

4.5 The Buyer shall provide at the Delivery Point and at its expense adequate and appropriate equipment and manual labour for loading or unloading of the Goods.

the Goods. 4.6 The Company may cancel delivery if the Company believes it would be

unsafe unlawful, unnecessarily or difficult to deliver to the Delivery Point and delivery shall take place upon the return of the Goods to the Company's place

delivery shall take place upon the return of the Goods to the Company's place of business.

4.8 The Company may deliver the Goods by separate installments. Each separate installment shall, subject to condition 4.9, be invoiced and paid for in accordance with the provisions of the Contract.

4.9 Each installment shall be a separate Contract and no cancellation or termination of any one Contract relating to an installment shall entitle the Buyer to repudiate or cancel any other Contract or installment. S. Non-Delivery

5.1 The quantity of any consignment of Goods as recorded on despatch from the Company's place of business shall be conclusive evidence of the quantity received on delivery unless the Buyer can provide conclusive evidence proving the contrary. the contrary.
5.2 The Company shall not be liable for any non-delivery of Goods (even if

5.2 The Company shall not be liable for any non-delivery of Goods (even if caused by the Company's negligence) unless the Buyer gives written notice to the Company of the non-delivery within 7 days of the date when the Goods would in the ordinary course of events have been delivered.

5.3 Any liability of the Company for non-delivery of the Goods shall be limited to replacing the Goods within a reasonable time or issuing a credit note at the pro-rata Contract rate against any invoice raised for such Goods.

6. Risk/Title
6.1 The Goods are at the risk of the Buyer from the time of delivery.
6.2 Where applicable, risk in transit shall remain with the Company until
delivery at the Delivery Point provided that in the event of any damage to
the Goods during transit the Company will replace any goods proved to the
Company's satisfaction to have been damaged in transit subject to having
received from the Buyer within 48 hours after delivery notification in writing
of the occurrence of the damage and also, if and so far as practicable, of its
nature and extent.
6.3 Ownership of the Goods shall not pass to the Buyer until the Company has
received in full fin each or cleared fundal support to it in prepared (a)

received in full (in cash or cleared funds) all sums due to it in respect of: (a) the Goods; and (b) all other sums which are or become due to the Company

from the Buyer. 6.4 Until ownership of the Goods has passed to the Buyer, the Buyer shall: 6.4 Until ownership of the Coods has passed to the Buyer, the Buyer shall: a) hold the Goods on a fiduciary basis as the Company's ballee; (b) store the Coods [at no cost to the Company) separately from all other goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property; (c) not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods and (d) maintain the Goods in satisfactory condition and keep them insured on the Company's behalf for in satisfactory condition and keep them insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company. On request the Buyer shall produce the policy of insurance to the Company. 65 The Buyer may resell the Coods before ownership has passed to it solely on the following conditions: (a) any sale shall be effected in the ordinary course of the Buyer's business at full market value; and (b) shall be a sale of the Company's property on the Buyer's own behalf and the Buyer shall deal as

the Company's property on the Buyer's own behalt and the Buyer shall deal as principal when making such a sale. 6.6 The Buyer's right to possession of the Goods shall terminate immediately if: (a) any of the matters set out in condition 11.1 (a) to (o) occur, or (b) the Buyer encumbers or in any way charges any of the Goods. 6.7 The Company shall be entitled to recover payment for the Goods notwithstanding that ownership of any of the Goods has not passed from becomes of the Goods has not passed from the Goods has

the Company. 6.8 The Buyer grants the Company its agents and employees an irrevocable

any time to enter any premises where the Goods are or may be stored in order

to inspect them or where the Buyer's right to possession has terminated, to

6.9 Where the Company is unable to determine whether any Goods are the do while the property of the Buyer's right to possession has terminated, the super shall be sup

7. Price
7.1 Unless otherwise agreed by the Company in writing, the price for the Goods shall be the price set out in the Company's price list published on the date of delivery or deemed delivery

shall be the price set out in the Company's price list published on the date of delivery or deemed delivery.

7.2 The price for the Goods shall be exclusive of any VAT which the Buyer shall pay when it is due to pay for the Goods.

7.3 The Company reserves the right, by giving written notice to the Buyer at any time before delivery, to increase the price of the Goods to reflect any increase in the cost to the Company which is due to any factor beyond the reasonable control of the Company (including without limitation, any increase in packaging, insurance, transportation costs, costs of labour, materials or other costs of manufacture, taxes, tariffs or import duties (where applicable) or changes in legislation or regulations) or any changes in delivery dates, quantities or specifications for the Goods which are requested by the Buyer or any delay caused by failure of the Buyer to give the Company adequate information or instructions.

7.4 The Buyer agrees and acknowledges that the price for the Goods is based upon the limitations of liability set out in conditions 3 and 10 and upon the limited warranties given in condition 9.

8. Payment

a. Payment 8.1 Subject to condition 8.4 and unless otherwise agreed by the Company in writing, payment of the price for the Goods is due in pounds sterling 28 days from the day on which the Goods are delivered or deemed to be delivered. 8.2 Time for payment shall be of the essence. 8.3 To payment shall be deemed to have been received until the Company

has received cleared funds.

8.4 All payments payable to the Company under the Contract shall become due immediately on its termination.

8.5 The Buyer shall make all payments due under the Contract in full without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Buyer has a valid court order requiring an amount equal to such deduction to be paid by the Company to the Buyer. The Buyer shall not be entitled to withhold any payments due under the Contract because of a disputed claim of any nature.

8.6 If the Buyer fails to pay the Company sum due pursuant to the Contract

Contract:

8.6.1 the Buyer shall be liable to pay interest to the Company on such sum from the due date for payment at the annual rate of 4% above the base lending rate from time to time of the Royal Bank of Scotland, accruing on a daily basis until payment, before or after any judgment but the Company reserves the right to interest under the Late Payment of Commercial Debts (Interest) Act 1998; and

8.6.2 the Company shall be entitled to suspend or cancel all future deliveries of Goods to the River

of Goods to the Buyer.

87 in the event that any variation is agreed between the Company and the Buyer regarding payment terms, which results in credit terms being extende to the Buyer, any such variation will cease and the amount of any debt owed will be payable for think the occurrence of any of the matters set out in credition 31 is 16 in 16.

condition  $\overline{11.1}$  (a) to (o). 8.8 Without prejudice to any other right or remedy of the Company any which repute to any other injurior remedy of the company any ment by the Buyer, which results in a cheque being referred to the drawer whatever reason, will incur a charge of £50.00 plus VAT per cheque payable

for whatever reason, will incur a charge of ESSUUP juls VAI per cheque pa by the Buyer. 8.9 The Company may apply all or any part of any sum owing by the Company its subsidiaries or associates to the Buyer in relation to any mat in or towards payment of any sum owing to the Company. For this purpor references to the Company or the Buyer include any company which is a holding company, subsidiary or associate of the Company or the Buyer researchisely.

respectively.

8.10 The Company may appropriate any payment made by the Buyer to the Company against amounts that are owed by the Buyer to the Company for the longest period not withstanding any prior appropriation of that payment by the Buyer.

by the Buyer.

9. Quality
9.1 The Company warrants that (subject to the other provisions of these conditions) on delivery the Goods shall:
(a) be of satisfactory quality within the meaning of the Sale of Goods Act 1979;
(b) be reasonably fit for any particular purpose for which the Goods are being bought if the Buyer had made known that purpose to the Company in writing and the Company has confirmed in writing that it is reasonable for the Buyer to rely on the skill and judgement of the Company. For the avoidance of doubt, the warranties given in this condition 101 are given in lieu and exclude the operation of the implied terms as to satisfactory quality and fitness for purpose.

10(a) the Buyer gives written notice of the defect to the Company within 14 days of the time when the Buyer discovers or ought to have discovered the defect, whichever is the earlier, and (b) the Company is given a reasonable opportunity after receiving the notice of the defect from the Buyer of eturns such Goods and the Buyer (if asked to do so by the Company)
eturns such Goods to the Company's place of business for the examination

to take place there. 9.3 The Company shall not be liable for a breach of any of the warranties in

condition

3.1if. [a) the Buyer makes any further use of such Goods after giving such notice; or (b) the defect arises because the Buyer failed to follow the Company's oral or written instructions as to the storage, installation, commissioning, use or maintenance of the Goods or (if there are none) good trade practice, or (c) the Buyer carries out, repairs itself or brings about changes in the nature, composition or packaging of the Goods delivered, or has these carried out or brought about by third parties, or if the Goods delivered are used improperly or for any purpose other than that for which they are meant or are marinated and/or stored improperly or contrary to any agreed or legal regulations or if the defect of the Goods can be ascribed to the other natty in any way.

agreed or legal regulations or if the defect of the Goods can be ascribed to the other party in any way.

9.4 Subject to condition 9.2 and 9.3, if any of the Goods do not conform with any warranties in condition 9.1 the Company shall at its option replace such Goods (and the protest of the price of such Goods at the pro rata Contract rate provided that, if requested, the Buyer shall return the Goods or the part of such Goods which is defective to the Company.

9.5 if the Company complies with condition 9.4 it shall have no further liability for a breach of any of the warranties in condition 9.1 in respect of such Goods and any Goods replaced shall belong to the Company.

10. Limitation of Liability

10.1 Subject to conditions 4, 5 and 9, the following provisions set out the entire financial liability of the Company (including any liability for the acts

entire financial liability of the Company (including any liability for the acts or omissions of its employees, agents and sub-contractors) to the Buyer in . each of these conditions; (b) any use made or resale by the Buyer of

(a) any breach of these conditions; (b) any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods, and (c) any representation, statement or tortious act or omission including negligence arising under or in connection with the Contract. 102 All warranties, conditions and other terms implied by statute or common law (save for the conditions implied by section 12 of the Sale of Goods Act 1979 or section (23) of the Supply of Goods and Services Act 1982, whichever Act applies to the Contract) are, to the fullest extent permitted by law, excluded

from the Contract:

10.3 Nothing in these conditions excludes or limits the liability of the Comp

(a) for death or personal injury caused by the Company's negligence; or (b)

under section 2(3) Consumer Protection Act 1987; or (c) for any matter which

the statement of the formula of fraudula would be illegal to attempt to exclude its liability: or (d) for fraud or fraudulent

would be illegal to attempt to exclude its liability; or (d) for fraud or fraudulent misrepresentation.

10.4 subject to condition 10.2 and condition 10.3 the Company's total liability in contract, not fincluding negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of the Contract shall be limited to the Contract price plus 100% or the sum of £50,000 (whichever is the greater). 10.5 in the event that the limitation on liability set out in condition 10.4 is found by any court, tribunal or administrative body of competent jurisdiction to be illegal, invalid, void, voidable, unenforceable or unreasonable then subject to condition 10.2 and condition 10.3 the Company's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of the Contract shall be limited to the Limit of Indemity remaining from time to time in accordance with the Company's public/products liability insurance (policy number 005273243 or such other

limit of indemnity as may apply to any replacement or amended public/ products liability insurance effected by the Company from time to time, in either case a copy of which shall be provided to the Buyer on request). 10.6 Subject to condition 10.2 and 10.3 the Company shall not be liable to the Buyer for loss of profit, loss of business, or depletion of goodwill in each case whether direct, indirect or consequential, or any claims for consequential compensation whatsoever (howsoever caused) which artie out of or in nection with the Contract.

In Termination

11. The Company may terminate the Contract without liability to the Buyer immediately (or following such period as it sees fit;) by giving notice to the Buyer if. (a) the Buyer fails to pay any amount due under the Contract on the date for payment and remains in default for more than 7 days; or (b) the Buyer commits a breach of any term of the Contract and (if remediable) fails to remedy that breach in 14 days; or (c) the Buyer repeatedly breaches any of the Contract in such a manner as to reasonably justify the opinion that its conduct is inconsistent with having the intention or ability to give effect to the terms of the Contract, or (d) the Buyer suspends or threatens to suspend payment of its debts or is unable to pay its debts and fails inability to pay its debts or is deemed either unable to pay its debts (being a company within the meaning of section 123 of the Insolvency Act 1986) or as having no reasonable prospect of so doing within the meaning of section 286 of the Insolvency Act 1986 or in the case of a partnership has any partner to whom foregoing applies; or (e) the Buyer commences negotiations with any of its creditors prospect of so doing within the meaning of section 268 of the Insolvency Act 1986 or in the case of a partnership has any partner to whom foregoing applies; or (e) the Buyer commences negotiations with any of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors; or (f) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the Buyer, or (g) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator or is appointed over the Buyer, or (h) a floating charge holder over the assets of the Buyer has become entitled to appoint a speciate the assets of the Buyer or a receiver is appointed over the Buyer or the section of the Buyer or a receiver is appointed over the assets of the Buyer, or (j) a fenson becomes entitled to appoint a receiver over the assets of the Buyer or a receiver is appointed over the assets of the Buyer, or (j) the properties of the Buyer or a receiver is appointed over the assets of the Buyer, or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days, or (l) any events neutrioned in condition 11.1(d) to condition 11.1(d) (inclusive); or (m) the Buyer suspends or ceases, or threatens to suspend or cease, to carry or all or a substantial part of its business; or (n) the Buyer, being an individual, dies or, by reason of illness or incapacity (whether mental or physical), is incapable for managing his or her own affairs or becomes a patient under any mental health legislation; or (o) there is a change of control of the Buyer.

11.2 In the event of termination in accordance with condition 11.1 or of any order being cancelled by the Buyer, the Buyer shall indemnify the Company against all loss (including profits) costs (including labour and overheads) and all othe expenses and damages reasonably and properly incurred by the Company in connection with the Contract and its termination.

12.1 The Company may assign the Contract or any part of it to any person, firm

or company.

12.2 The Buyer shall not be entitled to assign the Contract without the prior written consent of the Company. The Company shall not be deemed to have

wntuen consent or the Company. The Company shall not be deemed to have accepted an assignment of the Contract due to any circumstance or pursuant to any act or omission of the Company including, without limitation, the acceptance of payments or obligations under the Contract from a third party.

3bligations under the Condition 12. Force Majeure
The Company reserves the right to defer the date of delivery or to cancel

The Company reserves the right to defer the date of delivery or to cancel

The Condition 12. The Condit The Company reserves the right to defer the date of delivery or to cancel the Contract or reduce the volume of the Goods ordered by the Buyer (without liability to the Buyer) if it is materially prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Company including, without limitation, acts of Cod, governmental or regulatory actions (including orders preventing the movement of Goods), changes in legislation or codes of practice, war or national emergency, acts of terrorism, protests, ridt, civil commotion, frie, explosion, flood, epidemic, lock-outs, strikes or other labour disputes (whether or not relating to either party's workforce), failure of subcontractors or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate or suitable materials, provided that, if the event in question continues for a continuous period in excess of six months, the Buyer shall be entitled to give notice in writing to the Company to terminate the Contract. 14. Returns Policy

4.1 Without prejudice to clauses 4, 5, 9 and 10, or the statutory rights of the

suyer.

(a) any Coods returned which are not included in the Company's catalogue and have been obtained by the Company at the request of the Buyer will only be refunded in the absolute discretion of the Company, (b) in respect of any Goods returned where Orders are placed via mail, phone, fax or the internet, which have been cancelled within seven days of receiving the Goods, the Company will refund the price of the Goods in full; (c) where an Order has been cancelled within 28 days of receiving the Goods, the Company will examine the returned Goods within a reasonable time. Where Goods are found to be defective, the price of the Goods will be refunded in full (d) where Goods be defective, the price of the Goods will be refunded in full (d) where Goods returned in accordance with clause 14:[0] are found not to be defective, the Company reserves the right to deduct a re-stocking charge of 20% of the Price of the Goods from any refund to the Buyer. 14.2 All Goods must be returned unused, in their original packaging and in a re-saleable condition (to be determined in the Company's absolute discretion) and that the Buyer will be responsible for the costs of returning the Goods to

the Company. Costs of delivery to the Buyer (if any) will not be refunded.

the Company. Costs of delivery to the Buyer (if any) will not be refunded. IS. General IS. I Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company. IS.2 If any provision of the Contract is found by any court, tribunal or administrative body of competent jurisdiction to be wholly or partly illegal, invalid, void, voidable, unenforceable or unreasonable it shall to the extent of such illegality, invalidity, voidness, voidability, unenforceability or unreasonableness be deemed severable and the remaining provisions of the Contract and the remainder of such provision shall continue in full force and effort.

under the Contract.

15.4 Any waiver by the Company of any breach of, or any default under, any provision of the Contract by the Buyer shall not be deemed a waiver of any subsequent breach or default and shall in no way affect the other terms of

5.5 The parties to the Contract do not intend that any term of the Contract shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1 by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it. 15.6 The formation, existence, construction, performance, validity and all

aspects of the
Contract shall be governed by English law and the parties submit to the
exclusive jurisdiction of the
English courts.
16. Communications
16.1 All communications between the parties about the Contract shall be

16.1 All communications
16.1 All communications between the parties about the Contract shall be in writing and delivered by hand or sent by pre-paid first class post or sent by sac (a) lin case of the same shall be notified to the Bust of the sent of the contract of the saddresses (if it is a company) or (in any other case) to any address of the Buyer set out in any document which forms part of the Contract or such other company by the Buyer set out in any document which forms part of the Contract or such other company by the Buyer set out in any set of the Contract or such other company by the Buyer.

Company by the Buyer.

16.2 Communications shall be deemed to have been received: (a) if sent by pre-paid first class post, two days (excluding Saturdays, Sundays and holidays) after posting (exclusive of the day of posting); or (b) if delivered by hand, on the day of delivery; or (c) if sent by fax on a working day prior to 4.00 pm, at the time of transmission, otherwise the next working day.

16.3 Communications addressed to the Company shall be marked for the attention of a director or the directors of the Company.

The Buyer shall each keep confidential and shall not without the prior consen The Buyer Shall each keep commental and shall not without the prior consent in writing of the other disclose to any third-party any technical or commercial information which it has acquired from the other as a result of discussions, negotiations and other communications between them relating to the Goods and the Contract

# **CLEANING** MADE SIMPLE.

All Victor products have been designed to outlast and outperform the industry standard, whilst remaining simple to use and maintain across a wide spectrum of industries.



+44 (0)121 706 5771



Sales@VictorFloorcare.com



www.VictorFloorcare.com



**Victor Floorcare** 15 & 16 **Ace Business Park** Mackadown Lane **Birmingham B33 OLD United Kingdom** 

# **Experts in** hygiene and cleaning machines